

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name 4-ethylmorpholine

1.2 Other means of identification

Product number -

Other names Morpholine, 4-ethyl-; 4-Ethylmorpholine; 4-ethylmorpholine

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.

Uses advised against no data available

1.4 Supplier's details

Company Shanghai Baishun Biotechnology Co., Ltd

Address No. 26, Lane 918, Lianye Road, Zhelin Town, Fengxian District, Shanghai, 201400, China

Telephone +86-21-37581181

1.5 Emergency phone number

Emergency phone number +86-21-37581181

Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 3
Acute toxicity - Category 4, Oral
Acute toxicity - Category 4, Dermal
Skin corrosion, Sub-category 1B
Serious eye damage, Category 1

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H226 Flammable liquid and vapour

H302+H312 Harmful if swallowed or in contact with skin

	H314 Causes severe skin burns and eye damage
Precautionary statement(s)	
Prevention	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P233 Keep container tightly closed.</p> <p>P240 Ground and bond container and receiving equipment.</p> <p>P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.</p> <p>P242 Use non-sparking tools.</p> <p>P243 Take action to prevent static discharges.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...</p> <p>P264 Wash ... thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P260 Do not breathe dust/fume/gas/mist/vapours/spray.</p>
Response	<p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].</p> <p>P370+P378 In case of fire: Use ... to extinguish.</p> <p>P301+P317 IF SWALLOWED: Get medical help.</p> <p>P330 Rinse mouth.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water/...</p> <p>P317 Get medical help.</p> <p>P321 Specific treatment (see ... on this label).</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P363 Wash contaminated clothing before reuse.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P316 Get emergency medical help immediately.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p>
Storage	<p>P403+P235 Store in a well-ventilated place. Keep cool.</p> <p>P405 Store locked up.</p>
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
4-ethylmorpholine	4-ethylmorpholine	100-74-3	202-885-0	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention .

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Give one or two glasses of water to drink.

4.2 Most important symptoms/effects, acute and delayed

Exposure can cause irritation of eyes, nose and throat. Contact with eyes may result in foggy vision and seeing halos around lights. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Absorption, Distribution and Excretion

Absorbed through unbroken skin.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Alcohol foam, foam, carbon dioxide, dry chemical.

5.2 Specific hazards arising from the chemical

Special Hazards of Combustion Products: Irritating vapors and toxic gases, such as ammonia, nitrogen oxides, and carbon monoxide, may be formed when involved in fire. Behavior in Fire: Can react vigorously with heat or flame. (USCG, 1999)

5.3 Special protective actions for fire-fighters

Use water spray, alcohol-resistant foam. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Ventilation. Remove all ignition sources. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.2 Environmental precautions

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Ventilation. Remove all ignition sources. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.3 Methods and materials for containment and cleaning up

1) remove all ignition sources. 2) ventilate area of spill or leak. 3) for small quantities, absorb on paper towels. evaporate in safe place (such as a fume hood). allow sufficient time for evaporating vapors to completely clear hood ductwork. burn paper in suitable location away from combustible materials.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames, NO sparks and NO smoking. NO contact with hot surfaces. Above 32°C use a closed system, ventilation and explosion-proof electrical equipment. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes.

Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants. Store in a detached storehouse without any ignition source.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

TLV: 5 ppm as TWA; (skin)

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Liquid.
Colour	Clear, low-colour.
Odour	AMMONIACAL ODOR
Melting point/freezing point	-68.4 °C. Remarks:Mean of duplicate measurements.
Boiling point or initial boiling point and boiling range	138.6 °C. Atm. press.:1 013 hPa.
Flammability	Class IC Flammable Liquid: Fl.P. at or above 73°F and below 100°F.
Lower and upper explosion limit/flammability limit	no data available
Flash point	27.5 °C. Atm. press.:100.5 kPa.
Auto-ignition temperature	158 °C. Atm. press.:102.1 kPa. Remarks:No cool flames were observed. Ignition produced an orange flame.
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	kinematic viscosity (in mm ² /s) = 1.176. Temperature:20°C. Remarks:Mean of 2 runs.;kinematic viscosity (in mm ² /s) = 0.887. Temperature:40°C. Remarks:Mean of 2 runs.
Solubility	greater than or equal to 100 mg/mL at 68° F (NTP, 1992)

Partition coefficient n-octanol/water	log Pow = 0.08. Temperature:24.6 °C.
Vapour pressure	1.12 hPa. Temperature:25 °C.
Density and/or relative density	0.9 g/cm ³ . Temperature:20 °C.
Relative vapour density	4 (NTP, 1992) (Relative to Air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Decomposes on heating. This produces toxic gases and vapours (ammonia, nitrogen oxides, carbon monoxide). Reacts violently with strong oxidants. This generates fire and explosion hazard. Attacks plastics, rubber and coatings.

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

A DANGEROUS FIRE HAZARD...N-ETHYL MORPHOLINE can react vigorously with oxidizing materials. It dissolves LiAlH₄. (NTP, 1992)

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Can react vigorously with oxidizing materials.

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 - rat (male) - > 1 500 - < 2 000 mg/kg bw.
- Inhalation: no data available
- Dermal: LD50 - rabbit (male/female) - 1 980.4 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the eyes. This may result in distortion of vision.

STOT-repeated exposure

no data available

Aspiration hazard

A harmful contamination of the air can be reached rather quickly on evaporation of this substance at 20°C.

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50 - *Leuciscus idus* - 277 mg/L - 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* - 804 mg/L - 48 h.
- Toxicity to algae: EC10 - *Desmodesmus subspicatus* (previous name: *Scenedesmus subspicatus*) - 61.2 mg/L - 96 h.
- Toxicity to microorganisms: EC20 - activated sludge, industrial - > 600 mg/L - 30 min. Remarks: Respiration rate.

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Because it is miscible in water(2), bioconcentration in aquatic organisms is not expected to be an important fate process for N-ethylmorpholine(1, SRC).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indexes(1), the Koc for N-ethylmorpholine can be estimated to be about 12(SRC). According to a suggested classification scheme(2), this estimated Koc value suggests that N-ethylmorpholine has very high soil mobility(SRC).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: UN2734 (For reference only, please check.)

IMDG: UN2734 (For reference only, please check.)

IATA: UN2734 (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. or

IMDG: AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. or

IATA: AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. or

POLYAMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: 8 (For reference only, please check.)

IMDG: 8 (For reference only, please check.)

IATA: 8 (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: I (For reference only, please check.)

IMDG: I (For reference only, please check.)

IATA: I (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
4-ethylmorpholine	4-ethylmorpholine	100-74-3	202-885-0
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

MAK value not established but full documentation is available (MAK IIb).

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.