

# SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0  
Creation Date: July 15, 2019  
Revision Date: July 15, 2019

---

## SECTION 1: Identification

### 1.1 GHS Product identifier

**Product name** Ethane-1,2-diol

### 1.2 Other means of identification

**Product number** -  
**Other names** 1,2-dihydroxy ethane; 1,2-Ethandiol; 1,2-Dihydroxyethane

### 1.3 Recommended use of the chemical and restrictions on use

**Identified uses** Industrial and scientific research use.  
**Uses advised against** no data available

### 1.4 Supplier's details

**Company** Shanghai Baishun Biotechnology Co., Ltd  
**Address** No. 26, Lane 918, Lianye Road, Zhelin Town, Fengxian District, Shanghai, 201400, China  
**Telephone** +86-21-37581181

### 1.5 Emergency phone number

**Emergency phone number** +86-21-37581181  
**Service hours** Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

---

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

Acute toxicity - Category 4, Oral

### 2.2 GHS label elements, including precautionary statements

**Pictogram(s)**



**Signal word** Warning  
**Hazard statement(s)** H302 Harmful if swallowed  
**Precautionary statement(s)**  
**Prevention** P264 Wash ... thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
**Response** P301+P317 IF SWALLOWED: Get medical help.

**Storage** P330 Rinse mouth.  
**Disposal** none  
P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### 2.3 Other hazards which do not result in classification

no data available

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Ethane-1,2-diol	Ethane-1,2-diol	107-21-1	203-473-3	100%

---

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

#### If inhaled

Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.

#### Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

#### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### Following ingestion

Rinse mouth. Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Refer for medical attention .

### 4.2 Most important symptoms/effects, acute and delayed

Inhalation of vapor is not hazardous. Ingestion causes stupor or coma, sometimes leading to fatal kidney injury. (USCG, 1999)

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Ethylene glycol, glycols, and related compounds

---

## SECTION 5: Fire-fighting measures

### 5.1 Suitable extinguishing media

In case of fire in the surroundings: carbon dioxide, foam, powder, water spray.

### 5.2 Specific hazards arising from the chemical

This chemical is combustible. (NTP, 1992)

### 5.3 Special protective actions for fire-fighters

Use water spray, powder, alcohol-resistant foam, carbon dioxide.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Collect leaking and spilled liquid in sealable containers as far as possible. Wash away remainder with plenty of water.

### 6.2 Environmental precautions

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Collect leaking and spilled liquid in sealable containers as far as possible. Wash away remainder with plenty of water.

### 6.3 Methods and materials for containment and cleaning up

Collect leaking liquid in covered containers. Wash away spilled liquid with plenty of water.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### 7.2 Conditions for safe storage, including any incompatibilities

Separated from strong oxidants and strong bases. Dry. Ventilation along the floor. Polyethylene glycols should be stored in well-closed containers in a cool, dry place. Stainless steel, aluminum, glass, or lined steel containers are preferred for the storage of liquid grades.

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure limit values

TLV: (vapour and aerosol): 25 ppm as TWA. TLV: (vapour): 50 ppm as STEL. TLV: (inhalable aerosol): 10 mg/m<sup>3</sup> as STEL. A4 (not classifiable as a human carcinogen). EU-OEL: 52 mg/m<sup>3</sup> as TWA; 104 mg/m<sup>3</sup> as STEL; (skin)

#### Biological limit values

no data available

### 8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear safety goggles.

#### Skin protection

Protective gloves.

#### Respiratory protection

Use ventilation.

#### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties and safety characteristics

<b>Physical state</b>	Liquid. Syrupy.
<b>Colour</b>	Clear, colourless.
<b>Odour</b>	no data available
<b>Melting point/freezing point</b>	-13 °C. Atm. press.:1 013.25 hPa.
<b>Boiling point or initial boiling point and boiling range</b>	197.4 °C. Atm. press.:1 013 hPa.
<b>Flammability</b>	Combustible.
<b>Lower and upper explosion limit/flammability limit</b>	no data available
<b>Flash point</b>	111 °C. Atm. press.:1 013.25 hPa.
<b>Auto-ignition temperature</b>	398 °C. Atm. press.:1 013.25 hPa.
<b>Decomposition temperature</b>	no data available
<b>pH</b>	no data available
<b>Kinematic viscosity</b>	dynamic viscosity (in mPa s) = 16.1. Temperature:25.0°C.;dynamic viscosity (in mPa s) = 6.554. Temperature:50 °C.;dynamic viscosity (in mPa s) = 3.34. Temperature:75 °C.
<b>Solubility</b>	greater than or equal to 100 mg/mL at 63.5° F (NTP, 1992)
<b>Partition coefficient n-octanol/water</b>	log Pow = -1.36. Remarks:Data on temperature and pH value not available.
<b>Vapour pressure</b>	0.123 hPa. Temperature:25 °C.
<b>Density and/or relative density</b>	1.11 g/cm <sup>3</sup> . Temperature:20 °C.
<b>Relative vapour density</b>	2.1 (vs air)
<b>Particle characteristics</b>	no data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

On combustion, forms toxic gases. Reacts with strong oxidants and strong bases. Ethylene glycol reacts with strong oxidants and acids.

### 10.2 Chemical stability

Polyethylene glycols are chemically stable in air and in solution, although grades with a mol wt < 2000 are hygroscopic. Polyethylene glycols do not support microbial growth, and they do not become rancid. Polyethylene glycols and aqueous polyethylene glycol solutions can be sterilized by autoclaving, filtration, or gamma irradiation ... Ideally, sterilization should be carried out in an inert atmosphere.

### 10.3 Possibility of hazardous reactions

Combustible Vapors are heavier than air and will collect and stay in poorly-ventilated, low-lying, or confined areas (e.g., sewers, basements, and tanks). Hazardous concentrations may develop quickly in enclosed, poorly-ventilated, or low-lying areas. Keep out of these areas. Stay upwind. Mixing ETHYLENE GLYCOL in equal molar portions with any of the following substances in a closed container caused the temperature and pressure to increase: chlorosulfonic acid, oleum, sulfuric acid, [NFPA 1991].

### 10.4 Conditions to avoid

no data available

### 10.5 Incompatible materials

Materials to avoid: Strong oxidizing agents.

## 10.6 Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

---

## SECTION 11: Toxicological information

### Acute toxicity

- Oral: LD50 - rat (male/female) - 7 712 mg/kg bw.
- Inhalation: LC50 - rat (male/female) - > 2.5 mg/L air.
- Dermal: LD50 - mouse (male/female) - > 3 500 mg/kg bw.

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

TLV-A4

### Reproductive toxicity

No information is available on the reproductive or developmental effects of ethylene glycol in humans. Several studies of rodents exposed orally or by inhalation showed ethylene glycol to affect animal fetuses. Fetotoxicity manifested as increased preimplantation loss, delayed ossification, and an increased incidence of fetal malformations were reported. The inhalation study, however, noted continuous grooming of the fur, resulting in a high rate of exposure by ingestion as well.

### STOT-single exposure

The substance is irritating to the eyes and respiratory tract. The substance may cause effects on the kidneys, central nervous system and acid-base balance in the body. This may result in renal failure, brain injury and metabolic acidosis. Exposure could cause lowering of consciousness.

### STOT-repeated exposure

no data available

### Aspiration hazard

A harmful contamination of the air will be reached rather slowly on evaporation of this substance at 20°C.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

- Toxicity to fish: LC50 - Pimephales promelas - > 72 860 mg/L - 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna - > 100 mg/L - 48 h.
- Toxicity to algae: EC50 - > 6 500 - < 13 000 mg/L - 96 h.
- Toxicity to microorganisms: EC20 - activated sludge, domestic - > 1 995 mg/L - 30 min.

### 12.2 Persistence and degradability

will not support mold growth

### 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

### 12.5 Other adverse effects

no data available

---

## SECTION 13: Disposal considerations

### 13.1 Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

### 14.1 UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### 14.2 UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### 14.3 Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### 14.4 Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### 14.5 Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

### 14.6 Special precautions for user

no data available

### 14.7 Transport in bulk according to IMO instruments

no data available

---

## SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Ethane-1,2-diol	Ethane-1,2-diol	107-21-1	203-473-3
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

## SECTION 16: Other information

### Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

### Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

### References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### Other Information

Specific treatment may be necessary in case of poisoning with this substance; the appropriate means with instructions should be available.

**Any questions regarding this SDS, Please send your inquiry to [sds@xixisys.com](mailto:sds@xixisys.com)**

*Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to*

*appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.*