

# SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0  
Creation Date: July 15, 2019  
Revision Date: July 15, 2019

---

## SECTION 1: Identification

### 1.1 GHS Product identifier

**Product name** Butyraldehyde

### 1.2 Other means of identification

**Product number** -

**Other names** n-butyl aldehyde; MeCH<sub>2</sub>CH<sub>2</sub>CHO; Butyraldehyde

### 1.3 Recommended use of the chemical and restrictions on use

**Identified uses** Industrial and scientific research use.

**Uses advised against** no data available

### 1.4 Supplier's details

**Company** Shanghai Baishun Biotechnology Co., Ltd  
**Address** No. 26, Lane 918, Lianye Road, Zhelin Town, Fengxian District, Shanghai, 201400, China  
**Telephone** +86-21-37581181

### 1.5 Emergency phone number

**Emergency phone number** +86-21-37581181

**Service hours** Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

---

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

Flammable liquids, Category 2

### 2.2 GHS label elements, including precautionary statements

**Pictogram(s)**



**Signal word** Danger

**Hazard statement(s)** H225 Highly flammable liquid and vapour

**Precautionary statement(s)**

**Prevention** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.

<b>Response</b>	P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
<b>Storage</b>	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
<b>Disposal</b>	P370+P378 In case of fire: Use ... to extinguish. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### 2.3 Other hazards which do not result in classification

no data available

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Butyraldehyde	Butyraldehyde	123-72-8	204-646-6	100%

---

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

#### If inhaled

Fresh air, rest.

#### Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

#### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### Following ingestion

Rinse mouth. Rest.

### 4.2 Most important symptoms/effects, acute and delayed

Inhalation will cause irritation and possibly nausea, vomiting, headache, and loss of consciousness. Contact with eyes causes burns. Skin contact may be irritating. (USCG, 1999)

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Aldehydes and Related Compounds

---

## SECTION 5: Fire-fighting measures

### 5.1 Suitable extinguishing media

If material on fire or involved in fire: Do not extinguish fire unless flow can be stopped. Use water in flooding quantities as fog. Solid streams of water may spread fire. Cool all affected containers with flooding quantities of water. Apply water from as far a distance as possible. Use foam, dry chemical, or carbon dioxide.

## 5.2 Specific hazards arising from the chemical

Behavior in Fire: Vapors are heavier than air and may travel considerable distance to a source of ignition and flash back. Fires are difficult to control due to ease of reignition. (USCG, 1999)

## 5.3 Special protective actions for fire-fighters

Use foam, powder, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Collect leaking liquid in sealable containers. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

### 6.2 Environmental precautions

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Collect leaking liquid in sealable containers. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

### 6.3 Methods and materials for containment and cleaning up

Contaminated wastewaters containing butyraldehyde are produced during the MFR of poly(vinyl butyral) and poly(vinyl formal ethylal). On the basis of lab tests, a scheme for treating wastewater is recommended. After neutralization with sodium hydroxide or calcium oxide, the organic fraction is distilled from the wastewater and incinerated.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

NO open flames, NO sparks and NO smoking. Closed system, ventilation, explosion-proof electrical equipment and lighting. Do NOT use compressed air for filling, discharging, or handling. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### 7.2 Conditions for safe storage, including any incompatibilities

Fireproof. Separated from incompatible materials. See Chemical Dangers. Cool. Keep in the dark. Store in an area without drain or sewer access. On contact with air butyraldehyde is oxidized readily to the butyric acids. Therefore, storage under inert gas is mandatory.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure limit values

Component	Butyraldehyde			
CAS No.	123-72-8			
	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
<b>Austria</b>	20	64	20	64
<b>Finland</b>	25	74		
<b>Germany (AGS)</b>	20	64	20 (1)	64 (1)

<b>Component</b>	Butyraldehyde		
<b>CAS No.</b>	123-72-8		
<b>Latvia</b>		5	
<b>People's Republic of China</b>		5	10 (1)
	<b>Remarks</b>		
<b>Germany (AGS)</b>	(1) 15 minutes average value		
<b>People's Republic of China</b>	(1) 15 minutes average value		

#### Biological limit values

no data available

## 8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

## 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear safety spectacles.

#### Skin protection

Protective gloves.

#### Respiratory protection

Use ventilation, local exhaust or breathing protection.

#### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties and safety characteristics

<b>Physical state</b>	Liquid.
<b>Colour</b>	Colourless.
<b>Odour</b>	Characteristic, pungent, aldehyde odor
<b>Melting point/freezing point</b>	< -20 °C. Atm. press.:101.3 kPa.
<b>Boiling point or initial boiling point and boiling range</b>	75 °C. Atm. press.:101.3 kPa.
<b>Flammability</b>	Highly flammable.
<b>Lower and upper explosion limit/flammability limit</b>	Lower: 1.9% by volume; Upper: 12.5% by volume.
<b>Flash point</b>	< 10 °C. Atm. press.:101.3 kPa.
<b>Auto-ignition temperature</b>	190 °C. Atm. press.:101.3 kPa.
<b>Decomposition temperature</b>	no data available
<b>pH</b>	no data available
<b>Kinematic viscosity</b>	dynamic viscosity (in mPa s) = 0.43. Temperature:20°C.
<b>Solubility</b>	Miscible with water
<b>Partition coefficient n-octanol/water</b>	log Pow = 1.3. Temperature:20 °C.
<b>Vapour pressure</b>	14.4 kPa. Temperature:20 °C. Remarks:Experimental results.;14.8 kPa. Temperature:25 °C. Remarks:Literature search in HSDB and ChemIDplus Lite. Both gave the result 14.8 kPa at 25°C.;14.8 kPa. Temperature:25 °C. Remarks:Literature search in SRC PhysProp Database.

**Density and/or relative density** 0.81. Temperature:20 °C.  
**Relative vapour density** 2.5 (vs air)  
**Particle characteristics** no data available

---

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

The substance can presumably form explosive peroxides. The substance may polymerize. Reacts with amines, oxidants, strong bases and acids.

### **10.2 Chemical stability**

no data available

### **10.3 Possibility of hazardous reactions**

Highly flammable liquid. The vapour is heavier than air and may travel along the ground; distant ignition possible. A colorless liquid, BUTYRALDEHYDE can react with oxidizing materials. In contact with strong acids or bases it will undergo an exothermic condensation reaction. The dry aldehyde may undergo some polymerization reaction. Reacts vigorously with chlorosulfonic acid, nitric acid, sulfuric acid (oleum). [Sax, 9th ed., 1996, p. 607].

### **10.4 Conditions to avoid**

no data available

### **10.5 Incompatible materials**

Incompatible with oxidizing materials.

### **10.6 Hazardous decomposition products**

When heated to decomposition it emits acrid smoke and fumes.

---

## **SECTION 11: Toxicological information**

### **Acute toxicity**

- Oral: LD50 - rat (male/female) - ca. 5 890 mg/kg bw. Remarks:SD: 5540 mg/kg bw - 6250 mg/kg bw.
- Inhalation: LC50 Rat inhalation 60,000 ppm/0.5 hr
- Dermal: LD50 - guinea pig - > 20 000 mg/kg bw.

### **Skin corrosion/irritation**

no data available

### **Serious eye damage/irritation**

no data available

### **Respiratory or skin sensitization**

no data available

### **Germ cell mutagenicity**

no data available

### **Carcinogenicity**

no data available

### **Reproductive toxicity**

no data available

### **STOT-single exposure**

The substance is irritating to the eyes, skin and respiratory tract.

### **STOT-repeated exposure**

no data available

### **Aspiration hazard**

No indication can be given about the rate at which a harmful concentration of this substance in the air is reached on evaporation at 20°C.

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

- Toxicity to fish: LC50 - Pimephales promelas - 25.8 mg/L - 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC0 - Daphnia magna - 100 mg/L - 24 h.
- Toxicity to algae: toxic threshold concentration, MIC - Scenedesmus quadricauda - 83 mg/L - 8 d.
- Toxicity to microorganisms: Toxic Threshold Concentration, MIC - Pseudomonas putida - 100 mg/L - 16 h.

### **12.2 Persistence and degradability**

AEROBIC: Butyraldehyde, present at 100 mg/L, reached 100% of its theoretical BOD in 2 weeks using an activated sludge inoculum at 30 mg/L and the Japanese MITI test(1). Butyraldehyde had a 5-day theoretical BOD of 28% using the AFNOR T test and an inoculum from 3 polluted surface waters(2). Using a sewage inocula and standard dilution water, butyraldehyde had a 5-day theoretical BOD of 43%(3). Theoretical BODs of 43.4, 59.8, and 68% were measured after 5, 10, and 50 days, respectively, using a sewage seed(4). A 5-day theoretical BOD of 106% was reported for a sewage inocula(5). Using an electrolytic respirometer and an activated sludge inocula, theoretical BODs of 46-57% were observed after 90-135 hr of incubation(6).

### **12.3 Bioaccumulative potential**

An estimated BCF of 3 was calculated in fish for butyraldehyde(SRC), using a log Kow of 0.88(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

### **12.4 Mobility in soil**

The Koc of butyraldehyde is estimated as 72(SRC), using a log Kow of 0.88(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that butyraldehyde is expected to have high mobility in soil.

### **12.5 Other adverse effects**

no data available

---

## **SECTION 13: Disposal considerations**

### **13.1 Disposal methods**

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## **SECTION 14: Transport information**

### **14.1 UN Number**

ADR/RID: UN1129 (For reference only, please check.)      IMDG: UN1129 (For reference only, please check.)      IATA: UN1129 (For reference only, please check.)

## 14.2 UN Proper Shipping Name

ADR/RID: BUTYRALDEHYDE (For reference only, please check.)      IMDG: BUTYRALDEHYDE (For reference only, please check.)      IATA: BUTYRALDEHYDE (For reference only, please check.)

## 14.3 Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.)      IMDG: 3 (For reference only, please check.)      IATA: 3 (For reference only, please check.)

## 14.4 Packing group, if applicable

ADR/RID: II (For reference only, please check.)      IMDG: II (For reference only, please check.)      IATA: II (For reference only, please check.)

## 14.5 Environmental hazards

ADR/RID: No      IMDG: No      IATA: No

## 14.6 Special precautions for user

no data available

## 14.7 Transport in bulk according to IMO instruments

no data available

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Butyraldehyde	Butyraldehyde	123-72-8	204-646-6
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

---

## SECTION 16: Other information

### Information on revision

Creation Date      July 15, 2019  
Revision Date      July 15, 2019

### Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association

- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

## References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

## Other Information

Check for peroxides prior to distillation; eliminate if found.

**Any questions regarding this SDS, Please send your inquiry to [sds@xixisys.com](mailto:sds@xixisys.com)**

---

*Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.*