

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name Chromium trioxide

1.2 Other means of identification

Product number -

Other names Chromic anhydride; Chromium Oxide; CROMIUM TRIOXIDE

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.

Uses advised against no data available

1.4 Supplier's details

Company Shanghai Baishun Biotechnology Co., Ltd

Address No. 26, Lane 918, Lianye Road, Zhelin Town, Fengxian District, Shanghai, 201400, China

Telephone +86-21-37581181

1.5 Emergency phone number

Emergency phone number +86-21-37581181

Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Oxidizing solids, Category 1

Acute toxicity - Category 3, Oral

Acute toxicity - Category 3, Dermal

Skin corrosion, Sub-category 1A

Skin sensitization, Category 1

Acute toxicity - Category 2, Inhalation

Respiratory sensitization, Category 1

Germ cell mutagenicity, Category 1B

Carcinogenicity, Category 1A

Specific target organ toxicity – repeated exposure, Category 1


Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

Reproductive toxicity, Category 2

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Hazard statement(s)

Danger

H271 May cause fire or explosion; strong oxidizer
 H301 Toxic if swallowed
 H311 Toxic in contact with skin
 H314 Causes severe skin burns and eye damage
 H317 May cause an allergic skin reaction
 H330 Fatal if inhaled
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
 H340 May cause genetic defects
 H350 May cause cancer
 H372 Causes damage to organs through prolonged or repeated exposure
 H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P220 Keep away from clothing and other combustible materials.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
 P283 Wear fire resistant or flame retardant clothing.
 P264 Wash ... thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P271 Use only outdoors or in a well-ventilated area.
 P284 [In case of inadequate ventilation] wear respiratory protection.
 P203 Obtain, read and follow all safety instructions before use.
 P273 Avoid release to the environment.

Response

P306+P360 IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
 P371+P380+P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
 P370+P378 In case of fire: Use ... to extinguish.
 P301+P316 IF SWALLOWED: Get emergency medical help immediately.
 P321 Specific treatment (see ... on this label).
 P330 Rinse mouth.
 P302+P352 IF ON SKIN: Wash with plenty of water/...
 P316 Get emergency medical help immediately.
 P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P363 Wash contaminated clothing before reuse.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

	to do. Continue rinsing. P333+P317 If skin irritation or rash occurs: Get medical help. P362+P364 Take off contaminated clothing and wash it before reuse. P320 Specific treatment is urgent (see ... on this label). P342+P316 If experiencing respiratory symptoms: Get emergency medical help immediately. P318 IF exposed or concerned, get medical advice. P319 Get medical help if you feel unwell. P391 Collect spillage.
Storage	P420 Store separately. P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed.
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Chromium trioxide	Chromium trioxide	1333-82-0	215-607-8	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest. Half-upright position. Artificial respiration may be needed. Refer for medical attention.

Following skin contact

Remove contaminated clothes. First rinse with plenty of water for at least 15 minutes, then remove contaminated clothes and rinse again. Refer for medical attention .

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Give one or two glasses of water to drink. Do NOT induce vomiting. Refer immediately for medical attention.

4.2 Most important symptoms/effects, acute and delayed

Very irritating to eyes and respiratory tract. Ingestion causes severe gastrointestinal symptoms. Contact with eyes or skin causes burns; prolonged contact produces dermatitis ("chrome sores"). (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and

maintain normal body temperature. Obtain medical attention. Inorganic Acids and Related Compounds

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

Behavior in Fire: Containers may explode (USCG, 1999)

5.3 Special protective actions for fire-fighters

NO water. In case of fire in the surroundings, use appropriate extinguishing media.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: complete protective clothing including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Sweep spilled substance into sealable containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations. Do NOT absorb in saw-dust or other combustible absorbents.

6.2 Environmental precautions

Personal protection: complete protective clothing including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Sweep spilled substance into sealable containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations. Do NOT absorb in saw-dust or other combustible absorbents.

6.3 Methods and materials for containment and cleaning up

ACCIDENTAL RELEASE MEASURES: Personal precautions, protective equipment and emergency procedures: Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust; Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided; Methods and materials for containment and cleaning up: Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations. Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO contact with combustible substances or reducing agents. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Provision to contain effluent from fire extinguishing. Separated from combustible substances, reducing agents, bases and food and feedstuffs. Well closed. Store in an area without drain or sewer access. Keep container tightly closed in a dry and well-ventilated place. Hygroscopic. Heat sensitive. Storage class (TRGS 510): Strongly oxidizing hazardous materials

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

TLV: (as Cr(VI), inhalable fraction): 0.0002 mg/m³, as TWA; 0.0005 mg/m³ as STEL;
A1 (confirmed human carcinogen); (skin); (DSEN); (RSEN).EU-OEL: (as Cr): 0.1
mg/m³ as TWA.MAK: (inhalable fraction): skin absorption (H); sensitization of skin (SH);
carcinogen category: 1; germ cell mutagen group: 2

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear face shield or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use closed system or ventilation.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Solid. Deliquescent crystals, flakes or powder.
Colour	Dark red.
Odour	Odorless
Melting point/freezing point	196 °C.
Boiling point or initial boiling point and boiling range	Remarks:Decomposition products are Cr ₂ O ₃ and O ₂ .
Flammability	CrO ₃ : Noncombustible Solid, but will accelerate the burning of combustible materials.
Lower and upper explosion limit/flammability limit	no data available
Flash point	250°C
Auto-ignition temperature	May ignite organic materials on contact. (USCG, 1999)
Decomposition temperature	250°C
pH	Dissolves in water to form a weak acid
Kinematic viscosity	no data available
Solubility	Miscible with water
Partition coefficient n-octanol/water	no data available
Vapour pressure	Very low (NIOSH, 2016)
Density and/or relative density	Ca. 2.7 g/cm ³ .
Relative vapour density	no data available
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

250 mg/cu m (as Cr(II)). Chromium(II) compounds (as Cr)
25 mg/cu m (as Cr(III)). Chromium(III) compounds (as Cr)
15 mg/cu m (as Cr(VI)). Chromic acid and chromates
NIOSH considers chromic acid and chromates to be potential occupational carcinogens.
Chromic acid and chromates
Decomposes above 250°C . This produces chromic oxide and oxygen. This increases fire hazard. The substance is a strong oxidant. It reacts violently with combustible and reducing materials. This generates fire and explosion hazard. The solution in water is a strong acid. It reacts violently with bases and is corrosive.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Powerful oxidizer ... contact with combustible material may cause fire. CHROMIUM TRIOXIDE is a powerful oxidizing agent. Can react violently upon contact with reducing reagents, including organic matter, leading to ignition or explosion. Dangerously reactive with acetone, alcohols, alkali metals (sodium, potassium), ammonia, arsenic, dimethylformamide, hydrogen sulfide, phosphorus, peroxyformic acid, pyridine, selenium, sulfur, and many other chemicals [Sax, 9th ed., 1996, p. 852]. Noncombustible but can accelerate the burning of combustible materials. Sufficient heat may be generated from the reaction with combustible materials to ignite the mass. Aqueous solutions corrode many metals rapidly. Often mixed with sulfuric acid to make "cleaning solution" for glass. Used cleaning solution in closed bottles may explode due to the build up of gaseous carbon dioxide arising from oxidation of organic impurities [Bryson, W. R., Chem. Brit., 1975, 11, p. 377].

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Incompatible materials: Organic materials, Phosphorus, powdered metals.

10.6 Hazardous decomposition products

Decomposes when heated to 250 deg C, liberating oxygen to support combustion.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 - rat (male/female) - 52 mg/kg bw.
- Inhalation: LC50 - rat (male) - 104 mg/m³ air.
- Dermal: LD50 - rabbit (male/female) - 57 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

WEIGHT OF EVIDENCE CHARACTERIZATION: Under the current guidelines (1986), Cr(VI) is classified as Group A - known human carcinogen by the inhalation route of exposure. Carcinogenicity by the oral route of exposure cannot be determined and is classified as Group D. Under the proposed guidelines (1996), Cr(VI) would be characterized as a known human carcinogen by the inhalation route of exposure on the

following basis. Hexavalent chromium is known to be carcinogenic in humans by the inhalation route of exposure. Results of occupational epidemiological studies of chromium-exposed workers are consistent across investigators and study populations. Dose-response relationships have been established for chromium exposure and lung cancer. Chromium-exposed workers are exposed to both Cr(III) and Cr(VI) compounds. Because only Cr(VI) has been found to be carcinogenic in animal studies, however, it was concluded that only Cr(VI) should be classified as a human carcinogen. Animal data are consistent with the human carcinogenicity data on hexavalent chromium. Hexavalent chromium compounds are carcinogenic in animal bioassays, producing the following tumor types: intramuscular injection site tumors in rats and mice, intrapleural implant site tumors for various Cr(VI) compounds in rats, intrabronchial implantation site tumors for various Cr(VI) compounds in rats and subcutaneous injection site sarcomas in rats. In vitro data are suggestive of a potential mode of action for hexavalent chromium carcinogenesis. Hexavalent chromium carcinogenesis may result from the formation of mutagenic oxidative DNA lesions following intracellular reduction to the trivalent form. Cr(VI) readily passes through cell membranes and is rapidly reduced intracellularly to generate reactive Cr(V) and Cr(IV) intermediates and reactive oxygen species. A number of potentially mutagenic DNA lesions are formed during the reduction of Cr(VI). Hexavalent chromium is mutagenic in bacterial assays, yeasts and V79 cells, and Cr(VI) compounds decrease the fidelity of DNA synthesis in vitro and produce unscheduled DNA synthesis as a consequence of DNA damage. Chromate has been shown to transform both primary cells and cell lines. HUMAN CARCINOGENICITY DATA: Occupational exposure to chromium compounds has been studied in the chromate production, chromeplating and chrome pigment, ferrochromium production, gold mining, leather tanning and chrome alloy production industries. Workers in the chromate industry are exposed to both trivalent and hexavalent compounds of chromium. Epidemiological studies of chromate production plants in Japan, Great Britain, West Germany, and the United States have revealed a correlation between occupational exposure to chromium and lung cancer, but the specific form of chromium responsible for the induction of cancer was not identified ... Studies of chrome pigment workers have consistently demonstrated an association between occupational chromium exposure (primarily Cr(VI)) and lung cancer. Several studies of the chromeplating industry have demonstrated a positive relationship between cancer and exposure to chromium compounds. ANIMAL CARCINOGENICITY DATA: Animal data are consistent with the findings of human epidemiological studies of hexavalent chromium ... Chromium (VI)

Reproductive toxicity

no data available

STOT-single exposure

The substance is corrosive to the eyes, skin and respiratory tract. Corrosive on ingestion. The substance may cause effects on the kidneys and liver. This may result in tissue lesions.

STOT-repeated exposure

Repeated or prolonged contact may cause skin sensitization. Repeated or prolonged inhalation may cause asthma. Repeated or prolonged inhalation may cause nasal ulceration. This may result in perforation of the nasal septum. The substance may have effects on the kidneys. This may result in kidney impairment. This substance is carcinogenic to humans. Animal tests show that this substance possibly causes toxicity to human reproduction or development.

Aspiration hazard

A harmful concentration of airborne particles can be reached quickly when dispersed.

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: Range of species tested.
- Toxicity to daphnia and other aquatic invertebrates: Range of species tested.
- Toxicity to algae: Range of species tested.
- Toxicity to microorganisms: Range of microbes reported.

12.2 Persistence and degradability

Biological oxygen demand (BOD): none

12.3 Bioaccumulative potential

Using carp (*Cyprinus carpio*) which were exposed over a 6-week period to chromic trioxide concentrations of 1, 5, 20 and 100 ppb (measured as chromium), the chromium BCF ranged from 4.6 to 72(1). According to a classification scheme(2), this BCF range suggests the potential for bioconcentration in aquatic organisms is low to moderate(SRC).

12.4 Mobility in soil

no data available

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: UN1463 (For reference only, please check.)

IMDG: UN1463 (For reference only, please check.)

IATA: UN1463 (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: CHROMIUM TRIOXIDE, ANHYDROUS (For reference only, please check.)

IMDG: CHROMIUM TRIOXIDE, ANHYDROUS (For reference only, please check.)

IATA: CHROMIUM TRIOXIDE, ANHYDROUS (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: 5.1 (For reference only, please check.)

IMDG: 5.1 (For reference only, please check.)

IATA: 5.1 (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Chromium trioxide	Chromium trioxide	1333-82-0	215-607-8
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Do NOT take working clothes home. Rinse contaminated clothing with plenty of water because of fire hazard. The symptoms of asthma often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Anyone who has shown symptoms of asthma due to this substance should avoid all further contact. Depending on the degree of exposure, periodic medical examination is suggested.

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.