

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name Chlorothalonil

1.2 Other means of identification

Product number -

Other names meta-TCPN; 2,4,5,6-Tetrachloroisophthalonitrile; Chloroalonil

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.

Uses advised against no data available

1.4 Supplier's details

Company Shanghai Baishun Biotechnology Co., Ltd

Address No. 26, Lane 918, Lianye Road, Zhelin Town, Fengxian District, Shanghai, 201400, China

Telephone +86-21-37581181

1.5 Emergency phone number

Emergency phone number +86-21-37581181

Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Serious eye damage, Category 1

Skin sensitization, Category 1

Acute toxicity - Category 2, Inhalation

Specific target organ toxicity – single exposure, Category 3

Carcinogenicity, Category 2

Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

2.2 GHS label elements, including precautionary statements

Pictogram(s)





Signal word	Danger
Hazard statement(s)	H318 Causes serious eye damage H317 May cause an allergic skin reaction H330 Fatal if inhaled H335 May cause respiratory irritation H351 Suspected of causing cancer H410 Very toxic to aquatic life with long lasting effects
Precautionary statement(s)	
Prevention	P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area. P284 [In case of inadequate ventilation] wear respiratory protection. P203 Obtain, read and follow all safety instructions before use. P273 Avoid release to the environment.
Response	P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P317 Get medical help. P302+P352 IF ON SKIN: Wash with plenty of water/... P333+P317 If skin irritation or rash occurs: Get medical help. P321 Specific treatment (see ... on this label). P362+P364 Take off contaminated clothing and wash it before reuse. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P316 Get emergency medical help immediately. P320 Specific treatment is urgent (see ... on this label). P319 Get medical help if you feel unwell. P318 IF exposed or concerned, get medical advice. P391 Collect spillage.
Storage	P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Chlorothalonil	Chlorothalonil	1897-45-6	217-588-1	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention .

Following eye contact

Rinse with plenty of water (remove contact lenses if easily possible). Refer immediately for medical attention.

Following ingestion

Rinse mouth. Refer for medical attention .

4.2 Most important symptoms/effects, acute and delayed

SYMPTOMS: Symptoms of exposure to this compound include dermatitis and gastrointestinal, skin and upper respiratory tract irritation. ACUTE/CHRONIC

HAZARDS: This compound is a positive animal carcinogen. When heated to decomposition it emits toxic fumes of chloride ion, NO_x and cyanide ion. (NTP, 1992)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

1. Wash off dermal contamination with soap and water. Remove contamination of the eyes by flushing with copious amounts of water. If irritation persists, specialized medical care should be obtained. Substituted benzenes

SECTION 5: Fire-fighting measures**5.1 Suitable extinguishing media**

Fire Extinguishing Media: CO₂, foam, dry chemical or water.

5.2 Specific hazards arising from the chemical

Literature sources indicate that this compound is nonflammable. (NTP, 1992)

5.3 Special protective actions for fire-fighters

Use water spray, foam, powder, carbon dioxide.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal protection: chemical protection suit and protective gloves. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

6.2 Environmental precautions

Personal protection: chemical protection suit and protective gloves. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

6.3 Methods and materials for containment and cleaning up

Solid spillage should be picked up with an industrial vacuum cleaner and disposed of in accordance with local regulations.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Provision to contain effluent from fire extinguishing. Separated from food and feedstuffs. Store in an area without drain or sewer access. Keep in cool, dry, ventilated place.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

MAK sensitization of skin (SH)

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety spectacles or eye protection in combination with breathing protection if powder.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	PHYSICAL DESCRIPTION: Colorless crystals or granules or light gray powder. Melting point 250-251°C. No odor when pure; technical grade has a slightly pungent odor. A fungicide formulated as water-dispersible granules, wettable powder, or dust.
Colour	Colorless crystals
Odour	Odorless in pure form
Melting point/freezing point	251°C(lit.)
Boiling point or initial boiling point and boiling range	350°C(lit.)
Flammability	Liquid formulations containing organic solvents may be flammable. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit	no data available
Flash point	126°C(lit.)
Auto-ignition temperature	no data available
Decomposition temperature	no data available
pH	no data available

Kinematic viscosity	no data available
Solubility	less than 0.1 mg/mL at 70° F (NTP, 1992)
Partition coefficient n-octanol/water	log Kow = 3.05
Vapour pressure	4.36E-05mmHg at 25°C
Density and/or relative density	1.71g/cm3
Relative vapour density	no data available
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Decomposes on heating. This produces toxic and corrosive fumes including hydrogen chloride (see ICSC 0163) and nitrogen oxides.

10.2 Chemical stability

Thermally stable at ambient temperatures. Stable to u.v. light in aqueous media and in crystalline state. Stable in acidic and moderately alkaline aqueous solutions; slow hydrolysis at pH >9.

10.3 Possibility of hazardous reactions

Chlorothalonil is non-flammable and non-explosive. CHLOROTHALONIL is stable in neutral or acidic aqueous media. May react violently with strong oxidizing acids [Farm Chemicals Handbook]. Incompatible with other oxidizing agents such as peroxides and epoxides. Breaks down slowly in basic aqueous media (half-life 38.1 days at pH 9). [Farm Chemicals Handbook].

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Cyanides

10.6 Hazardous decomposition products

May decompose at high temp to emit hydrogen chloride.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Mouse oral 3700 mg/kg
- Inhalation: LC50 Rat inhalation 310 mg/cu m/1hr
- Dermal: LD50 Rabbit (albino) percutaneous >5000 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Cancer Classification: Group B2 Probable Human Carcinogen

Reproductive toxicity

no data available

STOT-single exposure

The substance is severely irritating to the eyes. The substance is irritating to the respiratory tract. The substance is mildly irritating to the skin.

STOT-repeated exposure

Repeated or prolonged contact with skin may cause dermatitis. Repeated or prolonged contact may cause skin sensitization.

Aspiration hazard

A harmful concentration of airborne particles can be reached quickly when dispersed.

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50; Species: /*Oncorhynchus mykiss*/ (Rainbow trout); Concentration: 76 ug/L for 96 hr /Technical chlorothalonil; conditions of bioassay not specified
- Toxicity to daphnia and other aquatic invertebrates: EC50; Species: *Daphnia magna* (Water flea) age <24 hr; Conditions: static; Concentration: 70 ppb for 48 hr (95% confidence limit: 34.2-143 ppb); Effect: intoxication, immobilization) /96% AI formulated product
- Toxicity to algae: EC50; Species: *Pseudokirchneriella subcapitata* (Green algae); Conditions: static; Concentration: 190 ppb/120 hr (95% confidence limit: 180-210 ppb); Effect: decreased population abundance /97.9% AI formulated product
- Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: In an aerobic grab sample study, 60.5% chlorothalonil (initial concentration of 38 ppm) remained in an alluvial silty loam (25 deg C and pH 6.4) after 7 days(1). At an initial concentration of 40 ppm, 67.5% (20 deg C) and 45.0% (25 deg C) chlorothalonil remained after 7 days in an alluvial silty loam (pH 6.4) held at a 60% moisture capacity(1). In the same soil held at moisture capacities of 100, 60, 40, and 20%, the amount of chlorothalonil (initial concentration of 40 ppm) remaining was determined to be 85, 22, 45, and 65%, respectively, after 7 days. Chlorothalonil biodegraded mainly through dechlorination and partly by substitution reaction yielding the biodegradation products: isophthalonitrile, mono-, di- and tri-chlorinated isophthalonitriles, 2,5,6-trichloro-4-hydroxyisophthalonitrile and 2,5,6-trichloro-4-methoxyisophthalonitrile(1). Aerobic biodegradation half-lives of chlorothalonil in four different soils were reported as 10, 10, 15 and 40 days(2). After 60 days the metabolite 2,5,6-trichloro-4-hydroxyisophthalonitrile was present at up to 32% of the initially applied amount; the metabolite 3-cyano-2,4,5,6-tetrachlorobenzamide was present at up to about 7% at both days 7 and 16 of the study. Aerobic aquatic half-lives of chlorothalonil typically range from 2 to 200 hours(2). Other reported metabolites are 1,3-dicarbamoyl-2,4,5,6-tetrachlorobenzene, 1-carbamoyl-3-cyano-4-hydroxy-2,5,6-trichlorobenzene, 2,4,6-trichloro-4-(methylthio)isophthalonitrile and pentachloronitrobenzene(3).

12.3 Bioaccumulative potential

Bioconcentration factors of 75 (edible) and 264 (whole body) were measured for chlorothalonil in bluegill sunfish(1). BCF values of 9.4 (edible) and 16 (whole body) were reported for catfish(1). Carp exposed to 3 ug/L chlorothalonil over a 6 week incubation period had reported maximum BCF values of 125 (2). A BCF of 264 was determined in bluegill (*Lepomis macrochirus*) exposed for 28 days(3). According to a classification scheme(4), these BCF values suggest bioconcentration in aquatic organisms can be low to high(SRC). Chlorothalonil BAFs wet weight and lipid based in zooplankton from three lakes in southern Ontario, Canada were 14-1500 and 140-190,000, respectively; samples were collected in 2003 and 2004(5).

12.4 Mobility in soil

A Koc value of 1800 has been determined based on adsorption isotherms of chlorothalonil on 3 black soils and 1 clay mineral, Na-bentonite soil(1). Other reported Koc values are 1300 to 14,000(2). Laboratory batch equilibrium studies with four soils showed chlorothalonil to possess limited mobility in silty clay loam, silt, sandy loam, and sand with calculated Koc values were 1400, 7000, 1100, and 900, respectively(3). According to a classification scheme(4), these Koc values suggest the mobility of chlorothalonil in soils will be low to immobile(SRC). The Koc of sediment from recycling ponds was 2270 to 2450(5).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: UN3439 (For reference only, please check.)

IMDG: UN3439 (For reference only, please check.)

IATA: UN3439 (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: NITRILES, SOLID, TOXIC, N.O.S. (For reference only, please check.)

IMDG: NITRILES, SOLID, TOXIC, N.O.S. (For reference only, please check.)

IATA: NITRILES, SOLID, TOXIC, N.O.S. (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: I (For reference only, please check.)

IMDG: I (For reference only, please check.)

IATA: I (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Chlorothalonil	Chlorothalonil	1897-45-6	217-588-1
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Carrier solvents used in commercial formulations may change physical and toxicological properties.

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to

appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.