

# SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0  
Creation Date: July 15, 2019  
Revision Date: July 15, 2019

## SECTION 1: Identification

### 1.1 GHS Product identifier

**Product name** Parathion-methyl

### 1.2 Other means of identification

**Product number** -  
**Other names** METHYL PARATHION; O,O-dimethyl O-(4-nitrophenyl) phosphorothioate; Metacid 50

### 1.3 Recommended use of the chemical and restrictions on use

**Identified uses** Industrial and scientific research use.  
**Uses advised against** no data available

### 1.4 Supplier's details

**Company** Shanghai Baishun Biotechnology Co., Ltd  
**Address** No. 26, Lane 918, Lianye Road, Zhelin Town, Fengxian District, Shanghai, 201400, China  
**Telephone** +86-21-37581181

### 1.5 Emergency phone number

**Emergency phone number** +86-21-37581181  
**Service hours** Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

Flammable liquids, Category 3  
Acute toxicity - Category 2, Oral  
Acute toxicity - Category 3, Dermal  
Acute toxicity - Category 2, Inhalation  
Specific target organ toxicity – repeated exposure, Category 2  
Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

### 2.2 GHS label elements, including precautionary statements

**Pictogram(s)**





<b>Signal word</b>	Danger
<b>Hazard statement(s)</b>	H226 Flammable liquid and vapour H300 Fatal if swallowed H311 Toxic in contact with skin H330 Fatal if inhaled H373 May cause damage to organs through prolonged or repeated exposure H410 Very toxic to aquatic life with long lasting effects
<b>Precautionary statement(s)</b>	
<b>Prevention</b>	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P264 Wash ... thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area. P284 [In case of inadequate ventilation] wear respiratory protection. P273 Avoid release to the environment.
<b>Response</b>	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower]. P370+P378 In case of fire: Use ... to extinguish. P301+P316 IF SWALLOWED: Get emergency medical help immediately. P321 Specific treatment (see ... on this label). P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of water/... P316 Get emergency medical help immediately. P361+P364 Take off immediately all contaminated clothing and wash it before reuse. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P320 Specific treatment is urgent (see ... on this label). P319 Get medical help if you feel unwell. P391 Collect spillage.
<b>Storage</b>	P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed.
<b>Disposal</b>	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

## 2.3 Other hazards which do not result in classification

no data available

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
---------------	---------------------------	------------	-----------	---------------

Parathion-methyl	Parathion-methyl	298-00-0	206-050-1	100%
------------------	------------------	----------	-----------	------

---

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

#### If inhaled

Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.

#### Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention.

#### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### Following ingestion

Induce vomiting (ONLY IN CONSCIOUS PERSONS!). See Notes. Give a slurry of activated charcoal in water to drink. Refer immediately for medical attention.

### 4.2 Most important symptoms/effects, acute and delayed

This material is extremely toxic; the probable oral lethal dose is 5-50 mg/kg, or between 7 drops and 1 teaspoonful for a 150-lb. person. Chronic toxicity does not appear to be a major consideration. (EPA, 1998)

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Organophosphates and related compounds

---

## SECTION 5: Fire-fighting measures

### 5.1 Suitable extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Advice for firefighters: Wear self contained breathing apparatus for fire fighting if necessary.

### 5.2 Specific hazards arising from the chemical

Poisonous gases are produced in fire and when heated. Decomposition may lead to sufficient internal pressure to cause the container to rupture violently. Avoid oxidizing materials. Unstable. High temperatures (120F) cause decomposition. (EPA, 1998)

### 5.3 Special protective actions for fire-fighters

Use water spray, foam, powder, carbon dioxide.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: chemical protection suit including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

## 6.2 Environmental precautions

Personal protection: chemical protection suit including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

## 6.3 Methods and materials for containment and cleaning up

Personal precautions, protective equipment and emergency procedures: Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in an area without drain or sewer access. Keep in a well-ventilated room. Separated from food and feedstuffs. Keep container tightly closed in a dry and well-ventilated place.

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure limit values

TLV: 0.02 mg/m<sup>3</sup>, as TWA; (skin); A4 (not classifiable as a human carcinogen); BEI issued

#### Biological limit values

no data available

### 8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear face shield or eye protection in combination with breathing protection if powder.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use local exhaust or breathing protection.

#### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties and safety characteristics

#### Physical state

Methyl parathion is a white crystalline solid which is often dissolved in a liquid solvent carrier. The commercial product is

	a tan liquid (xylene solution) with a pungent odor. It is slightly soluble to insoluble in water. Usually with the liquid solvent it is a combustible liquid. It is toxic by inhalation, ingestion and skin absorption. It is used as an insecticide.
<b>Colour</b>	Crystals
<b>Odour</b>	Pungent, garlic-like odor
<b>Melting point/freezing point</b>	36°C
<b>Boiling point or initial boiling point and boiling range</b>	143°C (1.0 mmHg)
<b>Flammability</b>	Combustible Solid
<b>Lower and upper explosion limit/flammability limit</b>	no data available
<b>Flash point</b>	46.1°C
<b>Auto-ignition temperature</b>	120 deg C (248 deg F) /Methyl parathion 80% in xylene/
<b>Decomposition temperature</b>	120°C
<b>pH</b>	no data available
<b>Kinematic viscosity</b>	no data available
<b>Solubility</b>	less than 1 mg/mL at 73° F (NTP, 1992)
<b>Partition coefficient n-octanol/water</b>	log Kow = 2.86
<b>Vapour pressure</b>	9.7e-06 mm Hg at 68° F (EPA, 1998)
<b>Density and/or relative density</b>	1.36
<b>Relative vapour density</b>	9.1 (NTP, 1992) (Relative to Air)
<b>Particle characteristics</b>	no data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Decomposes on heating. This produces toxic fumes including nitrogen oxides, phosphorus oxides and sulfur oxides. This generates fire and explosion hazard.

### 10.2 Chemical stability

Hydrolyzes slowly in weak acid, rapidly in alkali

### 10.3 Possibility of hazardous reactions

METHYL PARATHION is half decomposed in 8 days at 40°C. When a sample was heated in a small test tube it decomposed in a few minutes and the residue exploded (Food Chem. 4(1):42. 1956).

### 10.4 Conditions to avoid

no data available

### 10.5 Incompatible materials

Strong oxidizers, water [Note: Explosive risk when heated above 122 degrees F].

### 10.6 Hazardous decomposition products

When heated to decomp it emits very toxic fumes of /nitrogen oxides, phosphorous oxides, and sulfur oxides/.

---

## SECTION 11: Toxicological information

### Acute toxicity

- Oral: LD50 Mouse oral 18 mg/kg
- Inhalation: LC50 Mouse inhalation 120 mg/cu m/4 hr

- Dermal: LD50 Rat percutaneous 67 mg/kg

#### **Skin corrosion/irritation**

no data available

#### **Serious eye damage/irritation**

no data available

#### **Respiratory or skin sensitization**

no data available

#### **Germ cell mutagenicity**

no data available

#### **Carcinogenicity**

Cancer Classification: Not Likely to be Carcinogenic to Humans

#### **Reproductive toxicity**

no data available

#### **STOT-single exposure**

The substance may cause effects on the nervous system. This may result in convulsions and respiratory depression. Cholinesterase inhibition. Exposure far above the OEL could cause death. Medical observation is indicated.

#### **STOT-repeated exposure**

Cholinesterase inhibition. Cumulative effects are possible. See Acute Hazards/Symptoms.

#### **Aspiration hazard**

A harmful concentration of airborne particles can be reached quickly on spraying or when dispersed, especially if powdered.

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

- Toxicity to fish: LC50; Species: /Oncorhynchus mykiss/ (rainbow trout) weight 1.1 g; Conditions: static bioassay, 12 deg C; Concentration: 3,700 ug/L for 96 hr (95% confidence limit 3,130-4,380 ug/L) /Technical material, 80-99%
- Toxicity to daphnia and other aquatic invertebrates: EC50; Species: Daphnia magna (daphnid) 1st instar; Conditions: static bioassay, 21 deg C; Concentration: 0.14 ug/L for 48 hr (95% confidence limit 0.09-0.20 ug/L); Effect: immobilization. /Technical material, 80-99%
- Toxicity to algae: EC50; Species: Anabaena inaequalis (Blue-Green Algae) age 3 days, exponential growth phase (Log) 1 X 10<sup>+5</sup> Hormogonia/mL; Conditions: freshwater, static, 25 deg C, pH 7.5; Concentration: 19200 ug/L for 96 hr; Effect: population abundance /100% purity
- Toxicity to microorganisms: no data available

### **12.2 Persistence and degradability**

Methyl parathion is degraded in soil, water and sediment(1,2). Products include aminomethylparathion, p-nitrophenol and O-methyl-O'-p-nitrophenylthiophosphoric acid(1). Biodegradation may be fairly rapid especially when microorganisms are acclimated to methyl parathion(2). Comparison of degradation rates in sterile versus nonsterile estuarine systems indicated that biodegradation was the primary route of methyl parathion degradation(3). In a die-away test using water and sediment cores from three sites (Escambia River, FL), methyl parathion had half-lives of 77 to 154 hrs, while in a sterile control the half-life was 367 hrs(4). In strongly reducing anaerobic sediments, the degradation rate was found to be about two orders of magnitude faster than in the same sediments which had been heat-sterilized(5). Biodegradation is significantly faster in sediment containing water than in water alone(4,5). 14C-Methyl parathion was degraded rapidly to carbon dioxide in Cecil sandy loam and Webster silty clay loam maintained at 10

and 33 kPa soil-water tension; >40% mineralization was observed in 14 days, leveling off to approximately 50% by day 28(6). After 32 days incubation in static sediment/water microcosms, 24% of the (14)C-methyl parathion had been mineralized to (14)CO<sub>2</sub>; degradation products included aminomethyl parathion, 4-aminophenol, and 4-nitrophenol(7).

### 12.3 Bioaccumulative potential

A BCF of 8.3 was determined for (14)C-methyl parathion in *Oreochromis niloticus* (Nile tilapia) fingerlings(1). A BCF (calculated on an extractable lipid weight basis) of 959 was determined for methyl parathion in guppies (*Poecilia reticulata*)(2). According to a classification scheme(3), these BCF values suggest bioconcentration in aquatic organisms is low to high. However, methyl parathion does not bioconcentrate but rather is rapidly metabolized(4). An elimination rate constant of 2.38/day was measured(2), corresponding to a half-life of 7.0 hours(SRC). Methyl parathion was hydrolyzed by several shrimp and crayfish species(5).

### 12.4 Mobility in soil

Koc values of 366 to 423 were reported for methyl parathion(1). Average Koc values of 1,374 and 1,516 were measured for methyl parathion on 19 soil and sediment materials after 2 and 24 hours equilibration, respectively, using a batch equilibration technique; organic matter was the most important factor affecting adsorption of methyl parathion(2). According to a classification scheme(3), these Koc values suggest that methyl parathion is expected to have moderate to low mobility in soil.

### 12.5 Other adverse effects

no data available

---

## SECTION 13: Disposal considerations

### 13.1 Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

### 14.1 UN Number

ADR/RID: UN3017 (For reference only, please check.)

IMDG: UN3017 (For reference only, please check.)

IATA: UN3017 (For reference only, please check.)

### 14.2 UN Proper Shipping Name

ADR/RID:  
ORGANOPHOSPHORUS  
PESTICIDE, LIQUID,  
TOXIC, FLAMMABLE,  
flash point not less than 23 °C  
(For reference only, please check.)

IMDG:  
ORGANOPHOSPHORUS  
PESTICIDE, LIQUID,  
TOXIC, FLAMMABLE,  
flash point not less than 23 °C  
(For reference only, please check.)

IATA:  
ORGANOPHOSPHORUS  
PESTICIDE, LIQUID,  
TOXIC, FLAMMABLE,  
flash point not less than 23 °C  
(For reference only, please check.)

### 14.3 Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

#### 14.4 Packing group, if applicable

ADR/RID: I (For reference only, please check.)

IMDG: I (For reference only, please check.)

IATA: I (For reference only, please check.)

#### 14.5 Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

#### 14.6 Special precautions for user

no data available

#### 14.7 Transport in bulk according to IMO instruments

no data available

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Parathion-methyl	Parathion-methyl	298-00-0	206-050-1
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Not Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Not Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

---

### SECTION 16: Other information

#### Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

#### Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

#### References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>



- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### Other Information

If the pesticide is present in a formulation containing hydrocarbon solvents, vomiting should not be induced. Depending on the degree of exposure, periodic medical examination is suggested. Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available. Carrier solvents used in commercial formulations may change physical and toxicological properties. Do NOT take working clothes home.

**Any questions regarding this SDS, Please send your inquiry to [sds@xixisys.com](mailto:sds@xixisys.com)**

---

*Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.*