

# SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0  
Creation Date: July 15, 2019  
Revision Date: July 15, 2019

## SECTION 1: Identification

### 1.1 GHS Product identifier

**Product name** m-anisidine

### 1.2 Other means of identification

**Product number** -  
**Other names** m-Anisidine; Benzenamine, 3-methoxy-; 3-methoxyaniline

### 1.3 Recommended use of the chemical and restrictions on use

**Identified uses** Industrial and scientific research use.  
**Uses advised against** no data available

### 1.4 Supplier's details

**Company** Shanghai Baishun Biotechnology Co., Ltd  
**Address** No. 26, Lane 918, Lianye Road, Zhelin Town, Fengxian District, Shanghai, 201400, China  
**Telephone** +86-21-37581181

### 1.5 Emergency phone number

**Emergency phone number** +86-21-37581181  
**Service hours** Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

Acute toxicity - Category 4, Oral  
Skin irritation, Category 2  
Eye irritation, Category 2  
Specific target organ toxicity – single exposure, Category 3  
Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

### 2.2 GHS label elements, including precautionary statements

**Pictogram(s)**



**Signal word** Warning  
**Hazard statement(s)** H302 Harmful if swallowed

H315 Causes skin irritation  
H319 Causes serious eye irritation  
H335 May cause respiratory irritation  
H400 Very toxic to aquatic life  
H410 Very toxic to aquatic life with long lasting effects

**Precautionary statement(s)**

**Prevention**

P264 Wash ... thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.

**Response**

P301+P317 IF SWALLOWED: Get medical help.  
P330 Rinse mouth.  
P302+P352 IF ON SKIN: Wash with plenty of water/...  
P321 Specific treatment (see ... on this label).  
P332+P317 If skin irritation occurs: Get medical help.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P319 Get medical help if you feel unwell.  
P391 Collect spillage.

**Storage**

P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

**Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

## 2.3 Other hazards which do not result in classification

no data available

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
m-anisidine	m-anisidine	536-90-3	208-651-4	100%

---

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

**If inhaled**

Fresh air, rest. Refer for medical attention.

**Following skin contact**

Remove contaminated clothes. Rinse skin with plenty of water or shower.

**Following eye contact**

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

**Following ingestion**

Rinse mouth. Do NOT induce vomiting. Give one or two glasses of water to drink. Refer for medical attention .

### 4.2 Most important symptoms/effects, acute and delayed

**SYMPTOMS:** Symptoms of exposure to this compound may include irritation of the skin, eyes, mucous membranes and upper respiratory tract. Other symptoms may include headaches and cyanosis. It can cause dizziness and an increase in red blood cell Heinz bodies. Vertigo and an increase in sulfhemoglobin may occur. Drowsiness has been reported. The onset of symptoms may be delayed 2 to 4 hours or longer. Symptoms of exposure to a related compound include methemoglobinemia, skin sensitization, corneal damage, and liver and kidney damage. **ACUTE/CHRONIC HAZARDS:** This compound is very toxic by ingestion, inhalation and skin contact. It is an irritant of the skin, eyes, mucous membranes and upper respiratory tract. It is readily absorbed through the skin. When heated to decomposition it emits toxic fumes of carbon monoxide, carbon dioxide and nitrogen oxides. (NTP, 1992)

#### **4.3 Indication of immediate medical attention and special treatment needed, if necessary**

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Aniline and related compounds

---

### **SECTION 5: Fire-fighting measures**

#### **5.1 Suitable extinguishing media**

Use dry chemical, carbon dioxide, or alcohol foam extinguishers. Vapors are heavier than air and will collect in low areas. Vapors may travel long distances to ignition sources and flashback. Vapors in confined areas may explode when exposed to fire. Storage containers and parts of containers may rocket great distances, in many directions. If material or contaminated runoff enters waterways, notify downstream users of potentially contaminated waters. Notify local health and fire officials and pollution control agencies. From a secure, explosion-proof location, use water spray to cool exposed containers. If cooling streams are ineffective (venting sound increases in volume and pitch, tank discolors or shows any signs of deforming), withdraw immediately to a secure position ... The only respirators recommended for fire fighting are self-contained breathing apparatuses that have full facepieces and are operated in a pressure-demand or other positive-pressure mode. Anisidines

#### **5.2 Specific hazards arising from the chemical**

This chemical is probably combustible. (NTP, 1992)

#### **5.3 Special protective actions for fire-fighters**

Use water spray, dry powder, foam, carbon dioxide.

---

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Personal protection: chemical protection suit including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible.

#### **6.2 Environmental precautions**

Personal protection: chemical protection suit including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible.

#### **6.3 Methods and materials for containment and cleaning up**

Spill handling: Evacuate persons not wearing protective equipment from area of spill or leak until clean-up is complete. Remove all ignition sources. Collect powdered material in the most convenient and safe manner and deposit in sealed containers. Ventilate area of spill or leak. Cover with sand and soda ash (9:1). After mixing, collect material in the most convenient and safe manner and deposit in sealed containers. If material or

contaminated runoff enters waterways, notify downstream users of potentially contaminated waters. It may be necessary to contain and dispose of this chemical as a hazardous waste. Contact your Department of Environmental Protection or your regional office of the federal EPA for specific recommendations. Anisidines

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### 7.2 Conditions for safe storage, including any incompatibilities

Well closed. Separated from food and feedstuffs and strong oxidants. Store in tightly closed containers in a cool, dark, well-ventilated area. Protect against sunlight and strong oxidizers. Metal containers involving the transfer of this chemical should be grounded and bonded. Where possible, automatically pump liquid from drums or other storage containers to process containers. Drums must be equipped with self-closing valves, pressure vacuum bungs, and flame arresters. Use only non-sparking tools and equipment, especially when opening and closing containers of this chemical. Sources of ignition, such as smoking and open flames, are prohibited where this chemical is used, handled, or stored in a manner that could create a potential fire or explosion hazard. A regulated, marked area should be established where this chemical is handled, used, or stored ... Anisidines

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure limit values

Component	m-anisidine			
CAS No.	536-90-3			
	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Australia	0,1	0,5		
Austria	0,1	0,5	0,2	1
	Remarks			

#### Biological limit values

no data available

### 8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear face shield or eye protection in combination with breathing protection.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use ventilation, local exhaust or breathing protection.

#### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state	PHYSICAL DESCRIPTION: Pale yellow oily liquid or dark red liquid. (NTP, 1992)
Colour	Pale yellow, oily liquid
Odour	no data available
Melting point/freezing point	250°C(dec.)(lit.)
Boiling point or initial boiling point and boiling range	251°C(lit.)
Flammability	Combustible. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit	no data available
Flash point	126°C(lit.)
Auto-ignition temperature	515 deg C
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	no data available
Solubility	less than 1 mg/mL at 66° F (NTP, 1992)
Partition coefficient n-octanol/water	log Kow = 0.93
Vapour pressure	15.4 mm Hg at 75° F ; 21.8 mm Hg at 115° F; 32 mm Hg at 144° F (NTP, 1992)
Density and/or relative density	1.096
Relative vapour density	no data available
Particle characteristics	no data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

On combustion, forms toxic fumes including nitrogen oxides. Reacts with strong oxidants. This generates fire hazard.

### 10.2 Chemical stability

no data available

### 10.3 Possibility of hazardous reactions

CombustibleM-ANISIDINE is incompatible with strong oxidizers. It is also incompatible with acids, acid chlorides, acid anhydrides and chloroformates. (NTP, 1992)

### 10.4 Conditions to avoid

no data available

### 10.5 Incompatible materials

Materials to avoid: acids, acid chlorides, acid anhydrides, chloroformates, strong oxidizing agents

### 10.6 Hazardous decomposition products

Poisonous gases including nitrogen oxides are produced in fire. Anisidines

---

## SECTION 11: Toxicological information

### Acute toxicity

- Oral: LD50 Rat male and female oral 526 mg/kg
- Inhalation: no data available
- Dermal: no data available

#### **Skin corrosion/irritation**

no data available

#### **Serious eye damage/irritation**

no data available

#### **Respiratory or skin sensitization**

no data available

#### **Germ cell mutagenicity**

no data available

#### **Carcinogenicity**

no data available

#### **Reproductive toxicity**

no data available

#### **STOT-single exposure**

The substance may cause effects on the blood. This may result in the formation of methaemoglobin. Medical observation is indicated. The effects may be delayed. See Notes.

#### **STOT-repeated exposure**

no data available

#### **Aspiration hazard**

A harmful contamination of the air will not or will only very slowly be reached on evaporation of this substance at 20°C.

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

- Toxicity to fish: no data available
- Toxicity to daphnia and other aquatic invertebrates: EC50; Species: *Daphnia magna* (water flea); Conditions: freshwater, static; Concentration: 110 ug/L for 48 hr; Effect: intoxication, immobilization /formulated product
- Toxicity to algae: no data available
- Toxicity to microorganisms: no data available

### **12.2 Persistence and degradability**

AEROBIC: m-Anisidine, present at 100 mg/L, reached 0% of its theoretical BOD in 4 weeks using an activated sludge inoculum at 30 mg/L in the Japanese MITI test(1). Half-lives of 2 to 3 weeks in non-adapted inoculum and <2 weeks in adapted inoculum during an adapted, semistatic OECD biodegradability test and dynamic Pitter test(2). m-Anisidine degraded 37% in river water obtained from Mino River, Japan and 17% in seawater obtained from Akashi Beach, Japan after a 3-day incubation period using the Cultivation Method screening test(3-4). m-Anisidine did not degrade using the Modified OECD test, but degraded approximately 60% after 28 days using the same procedure with a modified activated sludge (1.5 mL/L) inoculum and a test sample concn of 60 mg/L. When the inoculum concn was raised to 10 mL/L m-anisidine degraded completely(5).

### **12.3 Bioaccumulative potential**

An estimated BCF of 3.2 was calculated for m-anisidine(SRC), using a log Kow of 0.93(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

### **12.4 Mobility in soil**

The Koc of m-anisidine is estimated as 30(SRC), using a log Kow of 0.93(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that m-anisidine is expected to have very high mobility in soil. The pKa of m-anisidine is 4.24(4), indicating that this compound will partially exist in the cation form in the environment and cations generally adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(5).

## 12.5 Other adverse effects

no data available

---

## SECTION 13: Disposal considerations

### 13.1 Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

### 14.1 UN Number

ADR/RID: UN2431 (For reference only, please check.)

IMDG: UN2431 (For reference only, please check.)

IATA: UN2431 (For reference only, please check.)

### 14.2 UN Proper Shipping Name

ADR/RID: ANISIDINES (For reference only, please check.)

IMDG: ANISIDINES (For reference only, please check.)

IATA: ANISIDINES (For reference only, please check.)

### 14.3 Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

### 14.4 Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

### 14.5 Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

### 14.6 Special precautions for user

no data available

### 14.7 Transport in bulk according to IMO instruments

no data available

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
---------------	---------------------------	------------	-----------

m-anisidine	m-anisidine	536-90-3	208-651-4
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Not Listed.

## SECTION 16: Other information

### Information on revision

Creation Date July 15, 2019  
Revision Date July 15, 2019

### Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

### References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### Other Information

Depending on the degree of exposure, periodic medical examination is suggested. Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available. Health effects of exposure to the substance have not been investigated adequately. See ICSCs 0970 and 0971.

**Any questions regarding this SDS, Please send your inquiry to [sds@xixisys.com](mailto:sds@xixisys.com)**

*Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the*

*product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.*