

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name 1,2-benzisothiazol-3(2H)-one 1,1-dioxide

1.2 Other means of identification

Product number -

Other names 3-keto-2H,3H-1,2-benzisothiazole 1,1-dioxide; Sykose; 1,2-benzisothiazol-3(2H)-one 1,1-dioxide

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.

Uses advised against no data available

1.4 Supplier's details

Company Shanghai Baishun Biotechnology Co., Ltd

Address No. 26, Lane 918, Lianye Road, Zhelin Town, Fengxian District, Shanghai, 201400, China

Telephone +86-21-37581181

1.5 Emergency phone number

Emergency phone number +86-21-37581181

Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Not classified.

2.2 GHS label elements, including precautionary statements

Pictogram(s) No symbol.

Signal word No signal word

Hazard statement(s) none

Precautionary statement(s)

Prevention none

Response none

Storage none

Disposal none

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
1,2-benzisothiazol-3(2H)-one 1,1-dioxide	1,2-benzisothiazol-3(2H)-one 1,1-dioxide	81-07-2	201-321-0	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms/effects, acute and delayed

SYMPTOMS: Symptoms of ingestion of this compound include nausea, vomiting and diarrhea. It may also cause anorexia. Inhalation may result in coughing and sneezing. ACUTE/CHRONIC HAZARDS: There is sufficient evidence that this compound is an animal carcinogen. When heated to decomposition this compound emits very toxic fumes of SO_x and NO_x. It may also emit toxic fumes of carbon and CO_x. (NTP, 1992)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Poisons A and B

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Fires involving this compound should be controlled with a dry chemical, carbon dioxide or Halon extinguisher. A water spray may also be used. (NTP, 1992)

5.2 Specific hazards arising from the chemical

Flash point data are not available for this chemical, but it is probably combustible. (NTP, 1992)

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flammable resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Solid. Amorphous powder.
Colour	White.
Odour	ODORLESS OR HAS FAINT AROMATIC ODOR.
Melting point/freezing point	224.1 - 226.6 °C. Atm. press.:980.6 hPa. Remarks:Other details not available.
Boiling point or initial boiling point and boiling range	> 250 °C. Atm. press.:980.9 hPa. Remarks:Decomposition temp. not available.
Flammability	no data available
Lower and upper explosion limit/flammability limit	no data available
Flash point	161.3 °C. Atm. press.:979.1 hPa.
Auto-ignition temperature	Atm. press.:955 hPa. Remarks:1,2-benzisothiazol-3(2 H)-one 1,1-dioxide did not catch fire on being exposed to air at room temperature of 23 degC.
Decomposition temperature	no data available
pH	1.84.
Kinematic viscosity	no data available
Solubility	greater than or equal to 100 mg/mL at 68° F (NTP, 1992)
Partition coefficient n-octanol/water	log Pow = -0.024. Temperature:25 °C. Remarks:Other details are not provided.
Vapour pressure	0 Pa. Temperature:25 °C.
Density and/or relative density	0.793 g/cm ³ . Temperature:20 °C.
Relative vapour density	no data available
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

This compound may react with oxidizing agents. (NTP, 1992). Very weak base in aqueous solution.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

When heated to decomposition it emits very toxic fumes of /nitrogen oxides/, /sulfur oxides/ and sodium oxide.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 - mouse - 17 000 mg/kg bw. Remarks:Toxic effects not reported.
- Inhalation: no data available

- Dermal: LD50 - rabbit - 4 694 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Evaluation: There is inadequate evidence in humans for the carcinogenicity of saccharin salts used as sweeteners. There is sufficient evidence in experimental animals for the carcinogenicity of sodium saccharin. There is inadequate evidence in experimental animals for the carcinogenicity of saccharin (acid form) and calcium saccharin. Overall evaluation: In making the evaluation, the Working Group concluded that sodium saccharin produced urothelial bladder tumors in rats by a non-DNA reactive mechanism that involves the formation of a urinary calcium phosphate containing precipitate, cytotoxicity and enhanced cell proliferation. The mechanism is not relative to humans because of critical interspecies differences in urine composition. Saccharin and its salts are not classifiable as to the carcinogenicity to humans (Group 3).

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50 - Pimephales promelas - 18 300 mg/L - 96 h.
- Toxicity to daphnia and other aquatic invertebrates: NOEC - Daphnia magna - ca. 1 000 mg/L - 48 h.
- Toxicity to algae: EC25 - Chlorella vulgaris - 569.581 mg/L - 72 h.
- Toxicity to microorganisms: EC50 - Tetrahymena thermophila - 123.04 mg/L - 48 h.

12.2 Persistence and degradability

AEROBIC: The importance of biodegradation of saccharin in soil and water is unknown, but amides are usually susceptible to microbial metabolism(1). Saccharin was eliminated in wastewater treatment plants with activated sludge processes sampled in Zurich Switzerland; a mean removal efficiency of 90% was observed. Incubation experiments with activated sludge resulted in a first order half-life of 90 minutes with 78% removal efficiency after 3 hours. No loss was observed using sterile controls(2).

12.3 Bioaccumulative potential

An estimated BCF of three was calculated in fish for saccharin(SRC), using a log Kow of 0.91(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC). Bioconcentration of the substance was tested as a breakdown product of 3-(allyloxy)-1,1-dioxo-11lambda(6),2-benzothiazole; results indicated low bioconcentration potential(4).

12.4 Mobility in soil

The Koc of saccharin is estimated as 20(SRC), using a log Kow of 0.91(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that saccharin is expected to have very high mobility in soil. The pKa of saccharin is 1.31(4), indicating that this compound will partially exist in the anion form in the environment and anions generally do not adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(5).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)	IMDG: Not dangerous goods. (For reference only, please check.)	IATA: Not dangerous goods. (For reference only, please check.)
---	--	--

14.2 UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)	IMDG: Not dangerous goods. (For reference only, please check.)	IATA: Not dangerous goods. (For reference only, please check.)
---	--	--

14.3 Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)	IMDG: Not dangerous goods. (For reference only, please check.)	IATA: Not dangerous goods. (For reference only, please check.)
---	--	--

14.4 Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)	IMDG: Not dangerous goods. (For reference only, please check.)	IATA: Not dangerous goods. (For reference only, please check.)
---	--	--

14.5 Environmental hazards

ADR/RID: No	IMDG: No	IATA: No
-------------	----------	----------

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
1,2-benzisothiazol-3(2H)-one 1,1-dioxide	1,2-benzisothiazol-3(2H)-one 1,1-dioxide	81-07-2	201-321-0
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the

product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.