

# SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0  
Creation Date: July 15, 2019  
Revision Date: July 15, 2019

## SECTION 1: Identification

### 1.1 GHS Product identifier

**Product name** 2-methyl-m-phenylenediamine

### 1.2 Other means of identification

**Product number** -  
**Other names** 1,3-Benzenediamine, 2-methyl-; 2-methylbenzene-1,3-diamine; 2,6-Diaminotoluene

### 1.3 Recommended use of the chemical and restrictions on use

**Identified uses** Industrial and scientific research use.  
**Uses advised against** no data available

### 1.4 Supplier's details

**Company** Shanghai Baishun Biotechnology Co., Ltd  
**Address** No. 26, Lane 918, Lianye Road, Zhelin Town, Fengxian District, Shanghai, 201400, China  
**Telephone** +86-21-37581181

### 1.5 Emergency phone number

**Emergency phone number** +86-21-37581181  
**Service hours** Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

Acute toxicity - Category 4, Oral  
Acute toxicity - Category 4, Dermal  
Skin sensitization, Category 1  
Germ cell mutagenicity, Category 2  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

### 2.2 GHS label elements, including precautionary statements

**Pictogram(s)**



**Signal word** Warning  
**Hazard statement(s)** H302 Harmful if swallowed

H312 Harmful in contact with skin  
 H317 May cause an allergic skin reaction  
 H341 Suspected of causing genetic defects  
 H411 Toxic to aquatic life with long lasting effects

**Precautionary statement(s)**

**Prevention**

P264 Wash ... thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P203 Obtain, read and follow all safety instructions before use.  
 P273 Avoid release to the environment.

**Response**

P301+P317 IF SWALLOWED: Get medical help.  
 P330 Rinse mouth.  
 P302+P352 IF ON SKIN: Wash with plenty of water/...  
 P317 Get medical help.  
 P321 Specific treatment (see ... on this label).  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P333+P317 If skin irritation or rash occurs: Get medical help.  
 P318 IF exposed or concerned, get medical advice.  
 P391 Collect spillage.

**Storage**

P405 Store locked up.

**Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**2.3 Other hazards which do not result in classification**

no data available

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
2-methyl-m-phenylenediamine	2-methyl-m-phenylenediamine	823-40-5	212-513-9	100%

**SECTION 4: First-aid measures**

**4.1 Description of necessary first-aid measures**

**If inhaled**

Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.

**Following skin contact**

Remove contaminated clothes. Rinse skin with plenty of water or shower.

**Following eye contact**

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

**Following ingestion**

Rinse mouth. Give one or two glasses of water to drink. Refer for medical attention .

**4.2 Most important symptoms/effects, acute and delayed**

ACUTE/CHRONIC HAZARDS: This compound is toxic. It is a local irritant. (NTP, 1992)

**4.3 Indication of immediate medical attention and special treatment needed, if necessary**

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. /Organic bases/Amines and related compounds/

---

## **SECTION 5: Fire-fighting measures**

### **5.1 Suitable extinguishing media**

If material involved in fire: Extinguish fire using agent suitable for type of surrounding fire. (Material itself does not burn or burns with difficulty.) Use water in flooding quantities as fog. Use "alcohol" foam, dry chemical or carbon dioxide. Apply water from as far a distance as possible. Keep run-off water out of sewers and water sources. 2,4-Toluenediamine

### **5.2 Specific hazards arising from the chemical**

Flash point data for this chemical are not available. It is probably combustible. (NTP, 1992)

### **5.3 Special protective actions for fire-fighters**

Use water spray, foam, dry powder.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Personal protection: P2 filter respirator for harmful particles. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

### **6.2 Environmental precautions**

Personal protection: P2 filter respirator for harmful particles. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

### **6.3 Methods and materials for containment and cleaning up**

Spillage Disposal. Personal protection: P2 filter respirator for harmful particles. Do not let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### **7.2 Conditions for safe storage, including any incompatibilities**

Well closed. Well closed.

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Occupational Exposure limit values**

<b>Component</b>	2-methyl-m-phenylenediamine
------------------	-----------------------------

<b>CAS No.</b>	823-40-5
<b>Component</b>	2-methyl-m-phenylenediamine
<b>CAS No.</b>	823-40-5
	NIOSH considers toluenediamine be a potential occupational carcinogen. NIOSH usually recommends that occupational exposures to carcinogens be limited to the lowest feasible concentration. /Toluenediamine/

#### Biological limit values

no data available

## 8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

## 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear safety goggles.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use ventilation, local exhaust or breathing protection.

#### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties and safety characteristics

<b>Physical state</b>	PHYSICAL DESCRIPTION: Colorless prisms (from water). (NTP, 1992)
<b>Colour</b>	Prisms from benzene, water
<b>Odour</b>	no data available
<b>Melting point/freezing point</b>	85°C(lit.)
<b>Boiling point or initial boiling point and boiling range</b>	282°C(lit.)
<b>Flammability</b>	Combustible.
<b>Lower and upper explosion limit/flammability limit</b>	no data available
<b>Flash point</b>	42°C(lit.)
<b>Auto-ignition temperature</b>	no data available
<b>Decomposition temperature</b>	no data available
<b>pH</b>	no data available
<b>Kinematic viscosity</b>	no data available
<b>Solubility</b>	Soluble (NTP, 1992)
<b>Partition coefficient n-octanol/water</b>	log Kow = 0.16 (est)
<b>Vapour pressure</b>	2.13 kPa at 150 deg C /0.000246 mm Hg at 25 deg C/ (extrapolated)
<b>Density and/or relative density</b>	1.107 g/cm3
<b>Relative vapour density</b>	no data available
<b>Particle characteristics</b>	no data available

---

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

NIOSH considers toluenediamine to be a potential occupational carcinogen.  
Toluenediamine  
On combustion, forms toxic fumes of nitrogen oxides.

### 10.2 Chemical stability

no data available

### 10.3 Possibility of hazardous reactions

2,6-DIAMINOTOLUENE neutralizes acids in exothermic reactions to form salts plus water. May be incompatible with isocyanates, halogenated organics, peroxides, phenols (acidic), epoxides, anhydrides, and acid halides. Flammable gaseous hydrogen may be generated in combination with strong reducing agents, such as hydrides.

### 10.4 Conditions to avoid

no data available

### 10.5 Incompatible materials

no data available

### 10.6 Hazardous decomposition products

When heated to decomposition it emits toxic fumes of nitrogen oxides.

---

## SECTION 11: Toxicological information

### Acute toxicity

- Oral: LD50 Rat (female) oral 1000 mg/kg bw
- Inhalation: no data available
- Dermal: no data available

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

### Reproductive toxicity

no data available

### STOT-single exposure

The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the blood. This may result in the formation of methaemoglobin. The effects may be delayed. Medical observation is indicated.

### STOT-repeated exposure

Repeated or prolonged contact with skin may cause dermatitis. Repeated or prolonged contact may cause skin sensitization.

### Aspiration hazard

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly when dispersed.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

- Toxicity to fish: no data available
- Toxicity to daphnia and other aquatic invertebrates: no data available
- Toxicity to algae: no data available
- Toxicity to microorganisms: no data available

### 12.2 Persistence and degradability

AEROBIC: 2,6-Diaminotoluene, (ring-labeled), produced 34% 14-CO<sub>2</sub> evolution in 375 days using a soil inoculum in the shake flask test(1). Adsorption to soil is expected to attenuate biodegradation(2). When incubated with a synthetic batch activated sludge acclimated to the 2,4- and 2,6-isomers, diaminoluenes, present at 300 mg/L, were 80% biodegraded in 4 days(3).

### 12.3 Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for 2,6-diaminotoluene(SRC), using an estimated log K<sub>ow</sub> of 0.16(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

### 12.4 Mobility in soil

Using aerobic conditions with a Washington silt loam surface soil (21% sand; 60% silt; 19% clay; pH 5; 1.3% total organic carbon) from a farm field planted with a rotation of corn and soybeans near Bethehem, PA and a Freehold sandy loam soil (53% sand; 40% silt; 7% clay; pH 5.8; 1.6% total organic carbon) from the Rutgers Experimental Farm, Adelphia, NJ, the K<sub>oc</sub> of 2,6-diaminotoluene were measured to be 706 and 708, respectively. Under anaerobic conditions, K<sub>oc</sub> values were 588 and 546, respectively(1). According to a classification scheme(2), this estimated K<sub>oc</sub> value suggests that 2,6-diaminotoluene is expected to have low mobility in soil. The estimated pK<sub>a</sub> of 2,6-diaminotoluene is 4.69(3), indicating that this compound will exist partially in the cation form in the environment and cations generally adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(4). Aromatic amines are expected to bind strongly to humus or organic matter in soils due to the high reactivity of the aromatic amino group(5,6), suggesting that mobility may be much lower in some soils.

### 12.5 Other adverse effects

no data available

---

## SECTION 13: Disposal considerations

### 13.1 Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

### 14.1 UN Number

ADR/RID: UN3077 (For reference only, please check.)

IMDG: UN3077 (For reference only, please check.)

IATA: UN3077 (For reference only, please check.)

## 14.2 UN Proper Shipping Name

ADR/RID:  
ENVIRONMENTALLY  
HAZARDOUS SUBSTANCE,  
SOLID, N.O.S. (For  
reference only, please check.)

IMDG:  
ENVIRONMENTALLY  
HAZARDOUS  
SUBSTANCE, SOLID,  
N.O.S. (For reference only,  
please check.)

IATA:  
ENVIRONMENTALLY  
HAZARDOUS  
SUBSTANCE, SOLID,  
N.O.S. (For reference only,  
please check.)

## 14.3 Transport hazard class(es)

ADR/RID: 9 (For reference only, please check.)

IMDG: 9 (For reference only, please check.)

IATA: 9 (For reference only, please check.)

## 14.4 Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

## 14.5 Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

## 14.6 Special precautions for user

no data available

## 14.7 Transport in bulk according to IMO instruments

no data available

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
2-methyl-m-phenylenediamine	2-methyl-m-phenylenediamine	823-40-5	212-513-9
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Not Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

---

## SECTION 16: Other information

### Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

### Abbreviations and acronyms

- CAS: Chemical Abstracts Service

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

## References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

## Other Information

Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available. Depending on the degree of exposure, periodic medical examination is suggested.

**Any questions regarding this SDS, Please send your inquiry to [sds@xixisys.com](mailto:sds@xixisys.com)**

---

*Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.*