

# SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0  
Creation Date: July 15, 2019  
Revision Date: July 15, 2019

## SECTION 1: Identification

### 1.1 GHS Product identifier

**Product name** Nonylphenol, ethoxylated

### 1.2 Other means of identification

**Product number** -

**Other names** -

### 1.3 Recommended use of the chemical and restrictions on use

**Identified uses** Industrial and scientific research use.

**Uses advised against** no data available

### 1.4 Supplier's details

**Company** Shanghai Baishun Biotechnology Co., Ltd  
**Address** No. 26, Lane 918, Lianye Road, Zhelin Town, Fengxian District, Shanghai, 201400, China  
**Telephone** +86-21-37581181

### 1.5 Emergency phone number

**Emergency phone number** +86-21-37581181

**Service hours** Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

Skin irritation, Category 2

Eye irritation, Category 2

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

### 2.2 GHS label elements, including precautionary statements

**Pictogram(s)**



**Signal word** Warning

**Hazard statement(s)** H315 Causes skin irritation  
H319 Causes serious eye irritation  
H411 Toxic to aquatic life with long lasting effects

**Precautionary statement(s)**

<b>Prevention</b>	P264 Wash ... thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
<b>Response</b>	P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water/... P321 Specific treatment (see ... on this label). P332+P317 If skin irritation occurs: Get medical help. P362+P364 Take off contaminated clothing and wash it before reuse. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P391 Collect spillage.
<b>Storage</b>	none
<b>Disposal</b>	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### 2.3 Other hazards which do not result in classification

no data available

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Nonylphenol, ethoxylated	Nonylphenol, ethoxylated	9016-45-9	500-024-6	100%

---

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### 4.2 Most important symptoms/effects, acute and delayed

Contact with eyes causes irritation. Prolonged contact with skin causes irritation. (USCG, 1999)

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and

maintain normal body temperature. Obtain medical attention. Ethylene glycol, glycols, and related compounds

---

## **SECTION 5: Fire-fighting measures**

### **5.1 Suitable extinguishing media**

Fire Extinguishing Agents Not to Be Used: Water may be ineffective on fire. Fire Extinguishing Agents: Dry chemicals, foam, carbon dioxide (USCG, 1999)

### **5.2 Specific hazards arising from the chemical**

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot. For UN3508, be aware of possible short circuiting as this product is transported in a charged state. (ERG, 2016)

### **5.3 Special protective actions for fire-fighters**

Wear self-contained breathing apparatus for firefighting if necessary.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### **6.2 Environmental precautions**

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### **6.3 Methods and materials for containment and cleaning up**

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### **7.2 Conditions for safe storage, including any incompatibilities**

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Occupational Exposure limit values**

no data available

#### **Biological limit values**

no data available

### **8.2 Appropriate engineering controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

#### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Liquid. Refrigerated liquid.
Colour	no data available
Odour	no data available
Melting point/freezing point	> 42 - < 44 °C.
Boiling point or initial boiling point and boiling range	> 295 - < 320 °C.
Flammability	no data available
Lower and upper explosion limit/flammability limit	no data available
Flash point	280 to 290 °C
Auto-ignition temperature	383 °C. Atm. press.:101.7 kPa.
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	no data available
Solubility	Miscible with water
Partition coefficient n-octanol/water	log Pow = 3.7. Temperature:25 °C. Remarks:PH value is unknown.
Vapour pressure	0.14 kPa. Temperature:25 °C.
Density and/or relative density	1.05 g/cm <sup>3</sup> . Temperature:50 °C.
Relative vapour density	no data available
Particle characteristics	no data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No rapid reaction with air. No rapid reaction with water.

### 10.2 Chemical stability

no data available

### 10.3 Possibility of hazardous reactions

ETHOXYLATED NONYLPHENOL is a polyether. May react exothermically with strong oxidizing agents.

## 10.4 Conditions to avoid

no data available

## 10.5 Incompatible materials

no data available

## 10.6 Hazardous decomposition products

When heated to decomposition it emits acrid smoke and fumes.

---

# SECTION 11: Toxicological information

### Acute toxicity

- Oral: LD50 - mouse (male/female) - 4 290 mg/kg bw. Remarks: Mouse NPE9.
- Inhalation: no data available
- Dermal: no data available

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

### Reproductive toxicity

no data available

### STOT-single exposure

no data available

### STOT-repeated exposure

no data available

### Aspiration hazard

no data available

---

# SECTION 12: Ecological information

## 12.1 Toxicity

- Toxicity to fish: LC50; Species: *Lepomis macrochirus* (Bluegill) weight 1.0 g; Conditions: freshwater, flow through, 21 deg C, pH 7.1, hardness 38 mg/L CaCO<sub>3</sub>, dissolved oxygen 8.9-9.4 mg/L CaCO<sub>3</sub>; Concentration: >10000 ug/L for 24 hr /100% purity formulation
- Toxicity to daphnia and other aquatic invertebrates: LC50 - daphnia - 1.821 mg/L - 48 h.
- Toxicity to algae: EC50 - *Pseudokirchneriella subcapitata* (previous names: *Raphidocelis subcapitata*, *Selenastrum capricornutum*) - 20 mg/L - 48 h.
- Toxicity to microorganisms: no data available

## 12.2 Persistence and degradability

**AEROBIC:** An aerobic biodegradation study was conducted on a mixture of polyethylene glycol linear nonylphenyl ethers utilizing sediment inocula from the Yahagi River, Kawasaki, Japan reported 97% and 98% biodegradation after 30 days for standing and stirred samples, respectively(1). An aerobic river die-away test conducted on a mixture of polyethylene glycol linear nonylphenyl ethers with an inoculum obtained from the Arakawa River, Horikiri, Japan reported 98% and 99% biodegradation after 30 days for standing and stirred samples, respectively(1). Two metabolites, nonylphenol diethoxylate and nonylphenol ethoxylate, were identified during these aerobic degradation studies of nonyl substituted polyethylene glycol linear nonylphenyl ether(1). A series of aerobic screening studies were conducted on nonyl substituted polyethylene glycol linear nonylphenyl ethers(2). Results from the aerobic biodegradation of polyethylene glycol linear nonylphenyl ethers for a river die-away, Spanish Official (adapted for anionic compounds), OECD Spanish Official (adapted for nonanionic compounds), and OECD confirmatory test were reported as degradations of 93% in 14 days, 70% in 21 days, 68% in 8 days, 91% in 8 days, and 88% at a retention time of 3 hours, respectively(2). Under conditions simulating a river water environment (Missouri River near Columbia MO, 7.5 miles downstream from the Columbia Wastewater Treatment Plant), over 40% of the <sup>14</sup>C ring-labeled polyethylene glycol nonylphenyl ether was converted to <sup>14</sup>CO<sub>2</sub> in 128 days; overall biodegradation was 87-97%. The water temperature was 20 deg C, dissolved oxygen 8.7 mg/L, pH 8.22, alkalinity 180 mg/L, and hardness 270 mg/L; test compound concentration was 100 ug/L(3).

### 12.3 Bioaccumulative potential

BCF values of <0.2 to <1.4 were measured in carp at polyethylene glycol nonylphenyl ether concentrations of 2.0 and 0.2 mg/L, respectively. According to a classification scheme(3), these BCF values indicate that bioconcentration of this mixture in aquatic organisms is low(SRC). Nonylphenol, nonylphenol monoethoxylate, and nonylphenol diethoxylate are more lipophilic and may bioconcentrate in aquatic organisms to a greater extent than higher oligomers(3).

### 12.4 Mobility in soil

Adsorption of nonylphenol polyethoxylates is dependent upon the number of ethoxylate units present; sludge adsorption was greatest for nonylphenol (44-48% of the added compound adsorbed) followed by nonylphenol ethoxylate (n=1) (14-15% of the added compound adsorbed to sludge), and nonylphenol diethoxylate (6-7% of the added compound adsorbed to sludge)(1). Adsorption of nonylphenyl ethoxylate (n=6) to sediment was dependent on the organic matter concentration(2). A K<sub>oc</sub> of 6.1 was measured in sediment(2). Polyethyleneglycol nonylphenyl ether (n=1-3) was observed to K<sub>d</sub> values ranging from 450-1460 L/kg in sediment, 230-590 L/kg in sediment without organic carbon, 25-92 L/kg in silica, and 12,000-13,000 L/kg in sludge, suggesting strong sorption may occur to the solid phase in soil(SRC).

### 12.5 Other adverse effects

no data available

---

## SECTION 13: Disposal considerations

### 13.1 Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

### 14.1 UN Number

ADR/RID: UN3082 (For

IMDG: UN3082 (For

IATA: UN3082 (For

reference only, please check.)      reference only, please check.)      reference only, please check.)

## 14.2 UN Proper Shipping Name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (For reference only, please check.)	IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (For reference only, please check.)	IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (For reference only, please check.)
--	--	--

## 14.3 Transport hazard class(es)

ADR/RID: 9 (For reference only, please check.)	IMDG: 9 (For reference only, please check.)	IATA: 9 (For reference only, please check.)
--	---	---

## 14.4 Packing group, if applicable

ADR/RID: III (For reference only, please check.)	IMDG: III (For reference only, please check.)	IATA: III (For reference only, please check.)
--	---	---

## 14.5 Environmental hazards

ADR/RID: Yes	IMDG: Yes	IATA: Yes
--------------	-----------	-----------

## 14.6 Special precautions for user

no data available

## 14.7 Transport in bulk according to IMO instruments

no data available

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Nonylphenol, ethoxylated	Nonylphenol, ethoxylated	9016-45-9	500-024-6
European Inventory of Existing Commercial Chemical Substances (EINECS)			Not Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

---

## SECTION 16: Other information

### Information on revision

Creation Date	July 15, 2019
Revision Date	July 15, 2019

### Abbreviations and acronyms

- CAS: Chemical Abstracts Service

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

## References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

**Any questions regarding this SDS, Please send your inquiry to [sds@xixisys.com](mailto:sds@xixisys.com)**

---

*Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.*