

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name 3-chloro-p-toluidine

1.2 Other means of identification

Product number -
Other names 4-methyl-5-chloroaniline; 3-chloro-4-methylphenylamine; 2B oil

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.
Uses advised against no data available

1.4 Supplier's details

Company Shanghai Baishun Biotechnology Co., Ltd
Address No. 26, Lane 918, Lianye Road, Zhelin Town, Fengxian District, Shanghai, 201400, China
Telephone +86-21-37581181

1.5 Emergency phone number

Emergency phone number +86-21-37581181
Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Acute toxicity - Category 3, Oral
Acute toxicity - Category 3, Dermal
Skin irritation, Category 2
Skin sensitization, Category 1
Eye irritation, Category 2
Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word	Danger
Hazard statement(s)	H301 Toxic if swallowed H311 Toxic in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects
Precautionary statement(s)	
Prevention	P264 Wash ... thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
Response	P301+P316 IF SWALLOWED: Get emergency medical help immediately. P321 Specific treatment (see ... on this label). P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of water/... P316 Get emergency medical help immediately. P361+P364 Take off immediately all contaminated clothing and wash it before reuse. P332+P317 If skin irritation occurs: Get medical help. P362+P364 Take off contaminated clothing and wash it before reuse. P333+P317 If skin irritation or rash occurs: Get medical help. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P391 Collect spillage. P405 Store locked up.
Storage	
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
3-chloro-p-toluidine	3-chloro-p-toluidine	95-74-9	202-446-3	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms/effects, acute and delayed

SYMPTOMS: Symptoms of exposure to this compound may include irritation of the skin and eyes. Other symptoms may include headache, drowsiness, nausea, kidney irritation, dizziness and central nervous system depression. Exposure may cause cyanosis and methemoglobinemia. It may also cause irritation of the bladder. Symptoms may be delayed. Hypothermia may occur in man. It may also cause loss of coordination, shortness of breath, rapid heartbeat, loss of consciousness, irritation to the respiratory tract, sore throat and nasal discharge. Other symptoms include burning sensation, redness and swelling of the eyes. **ACUTE/CHRONIC HAZARDS:** This compound is toxic by ingestion and inhalation. It is harmful if absorbed through the skin. It is an irritant of the skin and eyes. When heated to decomposition it emits toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, chlorine and hydrogen chloride gas. (NTP, 1992)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. /Organic bases/Amines and related compounds/

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

If material on fire or involved in fire: Extinguish fire using agent suitable for type of surrounding fire (material itself does not burn or burns with difficulty). Use water in flooding quantities as fog. Use foam, dry chemical, or carbon dioxide. Keep run-off water out of sewers and water sources. Chlorotoluidines, liquid

5.2 Specific hazards arising from the chemical

This chemical is combustible. (NTP, 1992)

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

SRP: Wastewater from contaminant suppression, cleaning of protective clothing/equipment, or contaminated sites should be contained and evaluated for subject chemical or decomposition product concentrations. Concentrations shall be lower than applicable environmental discharge or disposal criteria. Alternatively, pretreatment and/or discharge to a permitted wastewater treatment facility is acceptable only after review by the governing authority and assurance that "pass through" violations will not occur. Due

consideration shall be given to remediation worker exposure (inhalation, dermal and ingestion) as well as fate during treatment, transfer and disposal. If it is not practicable to manage the chemical in this fashion, it must be evaluated in accordance with EPA 40 CFR Part 261, specifically Subpart B, in order to determine the appropriate local, state and federal requirements for disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	PHYSICAL DESCRIPTION: Brown solid with a mild odor. (NTP, 1992)
Colour	no data available
Odour	no data available
Melting point/freezing point	24 °C.
Boiling point or initial boiling point and boiling range	243 °C. Atm. press.:1 013 hPa.

Flammability	no data available
Lower and upper explosion limit/flammability limit	no data available
Flash point	100 °C. Atm. press.:1 013 mBar.
Auto-ignition temperature	>/= 500 deg C
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	no data available
Solubility	less than 1 mg/mL at 72° F (NTP, 1992)
Partition coefficient n-octanol/water	log Pow = 2.27.
Vapour pressure	0.04 mm Hg. Temperature:25 °C. Remarks:Antoine Method.;0.037 mm Hg. Temperature:25 °C. Remarks:Modified Grain Method.;0.065 mm Hg. Temperature:25 °C. Remarks:Mackay Method.
Density and/or relative density	1.17 g/cm ³ .
Relative vapour density	no data available
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

May be sensitive to prolonged exposure to air and light. Insoluble in water.

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

3-CHLORO-P-TOLUIDINE may be sensitive to prolonged exposure to air and light. This chemical may react with oxidizing agents. It is incompatible with acids, acid chlorides, acid anhydrides and chloroformates. It is also incompatible with reducing agents. (NTP, 1992)

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

When heated to decomposition, it emits toxic fumes of /chlorine/ and /nitroxides/.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 - rat (male) - 1 053 mg/kg bw.
- Inhalation: LC50 - rat - > 7.62 mg/L air.
- Dermal: LD50 - rat - ca. 765 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50 - Danio rerio (previous name: Brachydanio rerio) - 24.8 mg/L - 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna - 0.62 mg/L - 48 h.
- Toxicity to algae: EC10 - Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) - 1.8 mg/L - 30 min.
- Toxicity to microorganisms: EC0 - Pseudomonas putida - 125 mg/L - 30 min.

12.2 Persistence and degradability

AEROBIC: Using samples of River Elbe water taken at Dresden, 55 km downstream from the Czech border between March 1995 and December 1998, 3-chloro-p-toluidine exhibited a biodegradation rate of 0.47/hr, corresponding to a half-life of 1.5 hrs. Experiments were carried out in darkness at 20 deg C and circulating raw river water through glass columns filled with pumice. 3-Chloro-4-methylaniline was added to the column at a concentration of 6 ug/L; detection limit was 0.44 ug/L(1).

12.3 Bioaccumulative potential

An estimated BCF of 15 was calculated in fish for 3-chloro-p-toluidine(SRC), using an estimated log Kow of 2.27(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of 3-chloro-p-toluidine can be estimated to be 180(SRC). According to a classification scheme(2), this estimated Koc value suggests that 3-chloro-p-toluidine is expected to have moderate mobility in soil. However, primary aromatic amines can react with humic matter in soil forming an irreversible complex and as a result may be immobilized in soil(3-4). With the increase of humic matter in soil, the tendency towards irreversible complex formation may increase and 3-chloro-p-toluidine may become increasingly immobilized(4). In sandy soil containing marginal amounts of humic matter, 3-chloro-p-toluidine may be mobile(5).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: UN2239 (For reference only, please check.)

IMDG: UN2239 (For reference only, please check.)

IATA: UN2239 (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID:
CHLOROTOLUIDINES,
SOLID (For reference only,
please check.)

IMDG:
CHLOROTOLUIDINES,
SOLID (For reference only,
please check.)

IATA:
CHLOROTOLUIDINES,
SOLID (For reference only,
please check.)

14.3 Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
3-chloro-p-toluidine	3-chloro-p-toluidine	95-74-9	202-446-3
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)	Listed.
Korea Existing Chemicals List (KECL)	Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.